

UNITED STATES OF AMERICA
NUCLEAR REGULATORY COMMISSION

BEFORE THE COMMISSION

In the Matter of)
)
ENTERGY NUCLEAR VERMONT YANKEE, LLC)
AND ENTERGY NUCLEAR OPERATIONS, INC.) Docket No. 50-271
)
(Vermont Yankee Nuclear Power Station))

NRC STAFF ANSWER TO THE VERMONT PETITION FOR
REVIEW OF ENTERGY NUCLEAR OPERATION INC.'S PLANNED USE
OF THE VERMONT YANKEE NUCLEAR DECOMMISSIONING TRUST FUND

Beth Mizuno
Anita Ghosh
Jeremy Wachutka
Matthew Ring

Counsel for the NRC Staff

December 7, 2015

TABLE OF CONTENTS

	<u>PAGE</u>
TABLE OF AUTHORITIES.....	i
INTRODUCTION	1
BACKGROUND	2
I. The Decommissioning Funding Requirements at 10 C.F.R. § 50.75.....	2
II. The Decommissioning Regulations at 10 C.F.R. § 50.82.....	3
III. The Promulgation of 10 C.F.R. § 50.75(h) to Address Licensees that Are Not Electric Utilities	9
IV. Entergy’s DTF License Amendment Request and Exemption Request.....	13
V. Litigation Before the Atomic Safety and Licensing Board.....	18
DISCUSSION.....	21
I. Commission Supervisory Review	21
II. Supervisory Review Is Not Warranted	22
III. Vermont’s Petition Should Be Denied Because it is Procedurally Improper	28
A. The Legal Standards that Govern Requests for Hearing	29
B. Vermont’s Petition Should Be Denied Because There Is No Licensing Action to Trigger AEA § 189 Hearing Rights	32
C. The Staff’s Grant of the VY Exemption Is Not Subject to Hearing	33
D. Vermont’s Proffered Issues Do Not Trigger AEA § 189 Hearing Rights	37
E. Vermont’s Petition Should Be Denied Because it Does Not Meet the Commission’s Contention Admissibility Standards in 10 C.F.R. § 2.309	41
IV. The Petition Raises Issues That Should Be Addressed in Accordance With 10 C.F.R. § 2.206 or 10 C.F.R. § 2.802	44
A. The Master Trust Agreement	44
B. There Is No Hearing Opportunity on the PSDAR.....	48
V. Vermont’s NEPA Arguments Are Procedurally and Substantively Flawed	52

A.	Vermont’s NEPA Arguments Are Impermissible Challenges to the Commission’s Decommissioning Rule.....	52
B.	No Further NEPA Analysis Is Required for Entergy’s Planned Withdrawals From its Decommissioning Trust Fund.....	54
1.	NEPA Requirements for Major Federal Actions.....	54
2.	Entergy’s DTF Withdrawals Do Not Constitute a Major Federal Action	57
C.	The Staff’s Application of a Categorical Exclusion to Entergy’s Exemption Request Was Not Arbitrary or Capricious Under NEPA.....	61
1.	The Categorical Exclusion Regulation and Process	62
2.	The Staff’s Application of the Categorical Exclusion Was Proper	64
3.	A Cumulative Impacts Analysis Was Not Required	67
	CONCLUSION	69

TABLE OF AUTHORITIES

Pages

JUDICIAL DECISIONS

Appellate Courts

<i>Alaska Center for the Environment v. U.S. Forest Service</i> , 189 F.3d 851 (9 th Cir. 1999)	65, 66
<i>Anglers Conservation Network, v. Penny Pritzker</i> , 70 F.Supp.3d 427 (DC Cir. 2014).....	59
<i>Baltimore Gas & Elec. Co. v. Natural Resources Defense Council, Inc.</i> , 462 U.S. 87 (1983).....	55
<i>BPI v. AEC</i> , 502 F.2d 424 (D.C. Cir. 1974)	32
<i>Brady Campaign to Prevent Gun Violence v. Salazar</i> , 612 F. Supp. 2d 1 (D.D.C. 2009).....	67, 68
<i>Brodsky v. NRC</i> , 578 F.3d 175 (2d Cir. 2009)	30, 34
<i>Brodsky v. NRC</i> , 704 F.3d 113 (2d Cir. 2013)	62
<i>Citizens Awareness Network, Inc. v. NRC</i> , 59 F.3d 284 (1st Cir. 1995)	59, 60
<i>Commonwealth of Massachusetts v. NRC</i> , 708 F.3d 63 (1st Cir. 2013)	55
<i>Commonwealth of Massachusetts v. NRC</i> , 878 F.2d 1516 (1st Cir. 1989)	34
<i>Dept. of Transportation v. Public Citizen</i> , 541 U.S. 752 (2004).....	55
<i>Easton Utilities Commission v. AEC</i> , 424 F.2d 847 (D.C. Cir. 1970)	31
<i>Alaska Center for the Environment v. U.S. Forest Service</i> , 189 F.3d 851 (9 th Cir. 1999).....	67
<i>Jones v. Gordon</i> , 792 F.2d 821 (9 th Cir. 1986)	68
<i>N.J. Dep't of Environmental Protection v. NRC</i> , 561 F.3d 132 (3d Cir. 2009)	55
<i>Pennington v. ZionSolutions LLC</i> , 742 F.3d 715 (7 th Cir. 2014).....	46
<i>Robertson v. Methow Valley Citizens Council</i> , 490 U.S. 332 (1989).....	55
<i>Sierra Club v. Bosworth</i> , 510 F.3d 1016 (9 th Cir. 2007)	62, 67

Commission

<i>Calvert Cliffs 3 Nuclear Project, LLC & Unistar Nuclear Operating Services, LLC</i> (Calvert Cliffs Nuclear Power Plant, Unit 3), CLI-14-08, 80 NRC __ (August 26, 2014).....	51
<i>Carolina Power & Light Co.</i> (Shearon Harris Nuclear Power Plant), CLI-01-7, 53 NRC 113 (2001)	23
<i>Carolina Power & Light Co.</i> (Shearon Harris Nuclear Power Plant), CLI-00-11, 51 NRC 297 (2000)	22
<i>Commonwealth Edison Co.</i> (Zion Nuclear Power Station, Units 1 and 2), CLI-00-5, 51 NRC 90, 96–97 (2000)	30, 33, 35
<i>Curators of the Univ. of Missouri</i> , CLI-95-1, 41 NRC 71 (1995)	51
<i>Duke Energy Corp.</i> (Catawba Nuclear Station, Units 1 & 2), CLI-05-14, 61 NRC 359 (2005)	21
<i>Duke Power Co.</i> (Catawba Nuclear Station, Units 1 and 2), CLI-83-19, 17 NRC 1041 (1983)	31
<i>Duke Energy Corp.</i> (Oconee Nuclear Station, Units 1, 2, & 3), CLI-99-11, 49 NRC 328 (1999)	24, 25
<i>Entergy Nuclear Operations, Inc.</i> (Indian Point, Units 2 and 3), CLI-09-6, 69 NRC 128 (2009)	22, 24
<i>Entergy Nuclear Generation Co.</i> (Pilgrim Nuclear Power Station), CLI-12-3, 75 NRC 132 (2012)	41
<i>Entergy Nuclear Vermont Yankee, LLC, and Entergy Nuclear Operations, Inc.</i> (Vermont Yankee Nuclear Power Station), CLI-07-1, 65 NRC 1 (2007).....	21
<i>Fansteel, Inc.</i> (Muskogee, Oklahoma Site), CLI-03-13, 58 NRC 195 (2003)	42
<i>Florida Power & Light Co.</i> (St. Lucie Plant, Unit 2), CLI-14-11, 80 NRC 167 (2014)	22, 24, 29
<i>Florida Power and Light Co.</i> (St. Lucie, Units 1 and 2), CLI-89-21, 30 NRC 325 (1989)	37, 52
<i>GPU Nuclear, Inc.</i> (Oyster Creek Nuclear Generating Station), CLI-00-6, 51 NRC 193 (2000)	51
<i>Honeywell Int'l, Inc.</i> (Metropolis Works Uranium Conversion Facility), CLI-13-1, 77 NRC 1 (2013)	24, 34, 36

<i>NextEra Energy Seabrook, LLC</i> (Seabrook Station, Unit 1), CLI-12-5, 75 NRC 301 (2012)	51
<i>North Atlantic Energy Service Corp.</i> (Seabrook Station, Unit 1), CLI-98-18, 48 NRC 129 (1998)	21
<i>Omaha Pub. Power Dist.</i> (Fort Calhoun Station, Unit 1), CLI-15-5, 81 NRC 329 (2015)	<i>passim</i>
<i>Pacific Gas & Elec. Co.</i> (Diablo Canyon Nuclear Power Plant, Units 1 and 2), CLI-15-21, 82 NRC __ (Nov. 9, 2015)	30, 38, 45, 51
<i>Pacific Gas & Elec. Co.</i> (Diablo Canyon Power Plant, Units 1 & 2), CLI-15-14, 81 NRC 729 (2015)	22, 25
<i>Pa'ina Hawaii, LLC</i> (Materials License Application), CLI-10-18, 72 NRC 56 (2010)	64, 65
<i>PPL Susquehanna, LLC</i> (Susquehanna Steam Elec. Station, Units 1 & 2), CLI-15-08 81 NRC 500 (2015)	24
<i>Private Fuel Storage, L.L.C.</i> (Independent Irradiated Fuel Storage Installation), CLI-01-12, 53 NRC 459 (2001)	30, 34
<i>Safety Light Corp.</i> (Bloomsburg Site Decontamination and License Renewal Denials), CLI-92-13, 36 NRC 79 (1992)	21
<i>Southern California Edison Co.</i> (San Onofre Nuclear Generating Station, Units 2 and 3), CLI-12-20, 76 NRC 437 (2012)	45
<i>State of New Jersey</i> (Department of Law and Public Safety's Requests Dated October 8, 1993), CLI-93-25, 38 NRC 289 (1993)	29, 33
<i>Texas Utilities Electric Co.</i> (Comanche Peak Steam Electric Station, Units 1 and 2), CLI-92-12, 36 NRC 62, 67 (1992)	29
<i>U.S. Department of Energy</i> (High-Level Waste Repository), CLI-10-13, 71 NRC 387 (2010)	22
<i>U.S. Department of Energy</i> (High-Level Waste Repository), CLI-11-13, 74 NRC 635 (2011)	22
<i>USEC Inc.</i> (American Centrifuge Plant), CLI-06-10, 63 NRC 451, 472 (2006)	42
<i>Yankee Atomic Elec. Co.</i> (Yankee Nuclear Power Station), CLI-96-6, 43 NRC 123 (1996)	23
<i>Yankee Atomic Elec. Co.</i> (Yankee Nuclear Power Station), CLI-94-3, 39 NRC 95 (1994)	22

Yankee Atomic Elec. Co. (Yankee Nuclear Power Station),
CLI-96-7, 43 NRC 235 (1996)24, 25

Atomic Safety and Licensing Appeal Board

Duke Power Co., et al. (Catawba Nuclear Station, Units 1 & 2),
ALAB-813, 22 NRC 59 (July 26, 1985).....25

Philadelphia Elec. Co. (Peach Bottom Atomic Power Station, Units 2 and 3),
ALAB-216, 8 AEC 13, 20 (1974)32

Atomic Safety and Licensing Board

Entergy Nuclear Vermont Yankee, LLC, & Entergy Nuclear Operations, Inc.
(Vermont Yankee Nuclear Power Station), LBP-15-24, 82 NRC __ (Aug. 31, 2015)14,20

Entergy Nuclear Vermont Yankee, LLC, & Entergy Nuclear Operations, Inc.
(Vermont Yankee Nuclear Power Station), LBP-15-28, 82 NRC __ (Aug. 31, 2015) *passim*

Safety Light Corp. (Bloomsburg, Pennsylvania Site),
LBP-05-2, 61 NRC 53 (2005).....24

Statutes

Administrative Procedure Act, 5 U.S.C. § 55137

Atomic Energy Act of 1954, as amended, § 189.a., 42 U.S.C. § 2239(a) *passim*

Atomic Energy Act of 1954, as amended, § 161, 42 U.S.C. § 2201.....22

Federal Power Act, §§ 314 through 316A, 16 U.S.C. §§ 825M through 325O-148

Regulations

10 C.F.R. § 2.1.....31

10 C.F.R. § 2.104.....41

10 C.F.R. § 2.206..... *passim*

10 C.F.R. § 2.309..... *passim*

10 C.F.R. § 2.335.....32, 50, 51, 52

10 C.F.R. § 2.341.....21

10 C.F.R. § 2.345.....18

10 C.F.R. § 2.802.....	<i>passim</i>
10 C.F.R. § 50.2.....	7, 10
10 C.F.R. § 50.9.....	19
10 C.F.R. § 50.12.....	13, 15, 33, 34
10 C.F.R. § 50.58(b).....	23
10 C.F.R. § 50.59.....	<i>passim</i>
10 C.F.R. § 50.75.....	2
10 C.F.R. § 50.75(a).....	2
10 C.F.R. § 50.75(b).....	3
10 C.F.R. § 50.75(c).....	27
10 C.F.R. § 50.75(e)(1).....	3
10 C.F.R. § 50.75(f)(1) and (2).....	46
10 C.F.R. § 50.75(h).....	<i>passim</i>
10 C.F.R. § 50.75(h)(1)(iv).....	13, 14, 15, 18
10 C.F.R. § 50.82.....	<i>passim</i>
10 C.F.R. § 50.82(a)(1).....	3
10 C.F.R. § 50.82(a)(2).....	3
10 C.F.R. § 50.82(a)(3).....	3, 51
10 C.F.R. § 50.82(a)(4).....	<i>passim</i>
10 C.F.R. § 50.82(a)(5).....	6
10 C.F.R. § 50.82(a)(6).....	6
10 C.F.R. § 50.82(a)(7).....	7
10 C.F.R. § 50.82(a)(8).....	<i>passim</i>
10 C.F.R. § 50.82(a)(8)(i)(A).....	13, 14, 16, 18
10 C.F.R. § 50.82(a)(8)(i)(B) and (C).....	15, 18

10 C.F.R. § 50.82(a)(9).....	<i>passim</i>
10 C.F.R. § 50.82(a)(10).....	9, 39, 54
10 C.F.R. § 50.82(a)(11).....	9
10 C.F.R. § 50.90.....	19
10 C.F.R. § 51.2.....	55
10 C.F.R. § 51.10.....	62
10 C.F.R. § 51.14.....	62
10 C.F.R. § 51.20.....	55, 56
10 C.F.R. § 51.22.....	<i>passim</i>
10 C.F.R. § 51.22(c)(25).....	<i>passim</i>
10 C.F.R. § 51.53(d).....	19, 57, 60
10 C.F.R. § 51.71(d).....	67
10 C.F.R. § 51.95(d).....	57, 60
40 C.F.R. § 1507.3(b)(2).....	62
10 C.F.R. § 1508.4.....	62, 64
40 C.F.R. § 1508.18.....	58, 59
40 C.F.R. § 1508.27.....	59

Federal Register

Regulatory Improvements for Decommissioning Power Reactors, 80 Fed. Reg. 72,358 (Nov. 19, 2015) (advance notice of proposed rulemaking).....	2, 24, 39, 49
Categorical Exclusions From Environmental Review, 75 Fed. Reg. 20,248 (Apr. 19, 2010).....	<i>passim</i>
Changes to Adjudicatory Process, 69 Fed. Reg. 2,182, 2,202 (Jan. 14, 2004).....	32, 42
Decommissioning of Nuclear Power Reactors, 61 Fed. Reg. 39,278 (July 29, 1996).....	<i>passim</i>
Decommissioning Trust Provisions, 67 Fed. Reg. 78,332 (Dec. 24, 2002).....	11, 24

Environmental Protection Regulations for Domestic Licensing and Related Regulatory Functions and Related Conforming Amendments, 49 Fed. Reg. 9,352 (Mar. 12, 1984).....	62
General Requirements for Decommissioning Nuclear Facilities, 53 Fed. Reg. 24,018 (June 27, 1988).....	2
Minor Changes to Decommissioning Trust Fund Provisions, 68 Fed. Reg. 65,386 (Nov. 20, 2003).....	12
<u>Miscellaneous</u>	
NUREG-1353, <i>Regulatory Analysis for the Resolution of Generic Issue 82, “Beyond Design Basis Accidents in Spent Fuel Pools”</i> (Apr. 1989) (ADAMS Accession No. ML082330232).....	26
NUREG-1738, <i>Technical Study of Spent Fuel Pool Accident Risk at Decommissioning Nuclear Power Plants</i> , at 3-1 (Feb. 2001) (ADAMS Accession No. ML010430066)	27
NUREG-2157, Vol. 1, <i>Generic Environmental Impact Statement for Continued Storage of Spent Nuclear Fuel</i> (Sept. 2014) (ADAMS Accession No. ML14196A105)	26
NUREG-2161, <i>Consequence Study of a Beyond-Design-Basis Earthquake Affecting the Spent Fuel Pool for a U.S. Mark I Boiling Water Reactor</i> (Sept. 2014) (ADAMS Accession No. ML14255A365)	26
NUREG-75/014, <i>Reactor Safety Study, An Assessment of Accident Risks in U.S. Commercial Nuclear Power Plants</i> (Oct. 1975) (ADAMS Accession No. ML070610293).....	26
<i>Policy on Conduct of Adjudicatory Proceedings</i> , CLI-98-12, 48 NRC 18 (1998)	30
SECY-00-0145, <i>Integrated Rulemaking Plan for Nuclear Power Plant Decommissioning</i> (June 28, 2000) (ADAMS Accession No. ML003721626).....	26
SECY-99-168, <i>Improving Decommissioning Regulations for Nuclear Power Plants</i> , (June 30, 1999) (ADAMS Accession No. ML992800087).....	26
U.S. Spent Nuclear Fuel Storage, Congressional Research Service, J.D. Werner, May 24, 2012, (ADAMS Accession No. ML14142A043)	43

UNITED STATES OF AMERICA
NUCLEAR REGULATORY COMMISSION

BEFORE THE COMMISSION

In the Matter of)
)
ENTERGY NUCLEAR VERMONT YANKEE, LLC)
AND ENTERGY NUCLEAR OPERATIONS, INC.) Docket No. 50-271
)
(Vermont Yankee Nuclear Power Station))

NRC STAFF ANSWER TO THE VERMONT PETITION FOR
REVIEW OF ENTERGY NUCLEAR OPERATION INC.'S PLANNED USE
OF THE VERMONT YANKEE NUCLEAR DECOMMISSIONING TRUST FUND

INTRODUCTION

Pursuant to the U.S. Nuclear Regulatory Commission (NRC) Secretary's November 10, 2015 scheduling order,¹ the NRC staff (Staff) files this answer to the Petition filed on November 4, 2015 by the State of Vermont, the Vermont Yankee Nuclear Power Corporation, and Green Mountain Power Corporation (collectively, Vermont) challenging various aspects of the decommissioning of the Vermont Yankee Nuclear Power Station (Vermont Yankee or VY) by the holder of the VY operating license, Entergy Nuclear Vermont Yankee, LLC and Entergy Nuclear Operations, Inc. (collectively, Entergy or the licensee).²

In its Petition for Review, Vermont asks the Commission to exercise its inherent supervisory authority and initiate an adjudicatory hearing. Vermont wants that hearing to address its concerns regarding Entergy's use of the VY decommissioning trust fund and, first and foremost, the Staff's grant of a regulatory exemption to Entergy that allows it to use excess

¹ Order (Nov. 10, 2015) (Agencywide Documents Access and Management System (ADAMS) Accession No. ML15314A822).

² Petition of the State of Vermont, the Vermont Yankee Nuclear Power Corporation, and Green Mountain Power Corporation for Review of Entergy Nuclear Operation, Inc.'s Planned Use of the Vermont Yankee Nuclear Decommissioning Trust Fund (Nov. 5, 2015) (ADAMS Accession No. ML15309A758) (Petition or Petition for Review).

decommissioning trust funds to pay for spent fuel management expenses. As explained below, the Petition should be denied for the following reasons: the grant of the exemption was supported by a safety evaluation and environmental review; the exercise of supervisory authority to initiate an adjudicatory hearing is unwarranted, particularly given the decommissioning rulemaking currently underway;³ Vermont is not entitled to a hearing on the Staff's grant of the exemption to the NRC regulations; Vermont's Petition suffers from numerous procedural defects; the concerns Vermont raises are not appropriate for an adjudication but can be pursued via an enforcement or rulemaking petition; and Vermont's environmental law challenges are meritless.

Because Vermont's Petition challenges the Commission's decommissioning process as it has been applied to VY, the Staff is prefacing its argument with a discussion of the decommissioning regulations, decommissioning funding, and the VY decommissioning trust fund regulatory exemptions and license amendments.

BACKGROUND

I. The Decommissioning Funding Requirements at 10 C.F.R. § 50.75

In 1988, the Commission promulgated the rule at 10 C.F.R. § 50.75 to address the identified need for applicants and licensees to provide, as part of the application for an operating license and during operations thereafter, "financial assurance," which is defined as "reasonable assurance of the availability of funds for decommissioning."⁴ The regulation achieves this by setting the "formula amount" that must be provided for, at a minimum, as financial assurance for

³ See Regulatory Improvements for Decommissioning Power Reactors, 80 Fed. Reg. 72,358 (Nov. 19, 2015) (advance notice of proposed rulemaking; request for comment).

⁴ See General Requirements for Decommissioning Nuclear Facilities, 53 Fed. Reg. 24,018, 24,034 (June 27, 1988) (final rule); 10 C.F.R. § 50.75(a); 10 C.F.R. § 50.33(k).

decommissioning⁵ and the methods by which this amount may be covered.⁶ One such method is the use of a decommissioning trust fund (DTF) that would contain money equal to the formula amount when the licensee terminates operations.⁷ As originally promulgated, the regulation did not include the requirements of 10 C.F.R. § 50.75(h).

II. The Decommissioning Regulation at 10 C.F.R. § 50.82

Whereas 10 C.F.R. § 50.75 discusses the covering of a “formula amount” for financial assurance while a plant is operating, 10 C.F.R. § 50.82 discusses the requirements applicable to plants during decommissioning, including the covering of a site-specific decommissioning cost estimate for financial assurance.⁸

Pursuant to 10 C.F.R. § 50.82(a)(1), the decommissioning process starts when the licensee certifies to the NRC that (1) it has determined to permanently cease operations and (2) it has permanently removed fuel from the reactor vessel. Upon the docketing of these certifications, the licensee’s license no longer authorizes operation of the reactor or emplacement or retention of fuel in the reactor vessel.⁹ At this point, the “operating stage” of the reactor’s lifecycle ends and its “decommissioning stage” begins¹⁰ and the licensee is required to complete decommissioning within 60 years.¹¹

Prior to the Commission’s 1996 rulemaking establishing its current decommissioning rules, a licensee was required to amend its operating license by submitting a detailed

⁵ 10 C.F.R. § 50.75(b)(1).

⁶ 10 C.F.R. § 50.75(b)(3).

⁷ 10 C.F.R. § 50.75(e)(1).

⁸ Decommissioning of Nuclear Power Reactors, 61 Fed. Reg. 39,278 (July 29, 1996) (final rule).

⁹ 10 C.F.R. § 50.82(a)(2).

¹⁰ See 61 Fed. Reg. 39,278, 39,278-79.

¹¹ 10 C.F.R. § 50.82(a)(3).

“decommissioning plan” to the NRC for approval, along with a supplemental environmental report that addressed environmental issues not previously considered.¹² This plan was due within two years of the beginning of decommissioning.¹³ The NRC would then review this submittal, prepare a safety evaluation report, prepare a NEPA analysis, and either reject or approve it.¹⁴ The NRC would also provide an opportunity for a hearing.¹⁵ This process prohibited a licensee from performing major decommissioning activities before the approval of its decommissioning plan.¹⁶

In 1996, the Commission removed the requirement for a decommissioning plan and its accompanying safety and environmental reviews and, instead, recognized that licensees could perform major decommissioning activities as part of their existing operating licenses and the Commission’s 10 C.F.R. § 50.59 change process.¹⁷ The Commission made this change, in part, because: 1) the degree of regulatory oversight required for a nuclear power reactor during its decommissioning stage is considerably less than that required for the facility during its operating stage; 2) the 10 C.F.R. § 50.59 process and 10 C.F.R. § 50.82 would be amended to include additional criteria to ensure that concerns specific to decommissioning are considered by the licensee; and 3) the level of NRC oversight required would be commensurate with the status of the facility.¹⁸

¹² 61 Fed. Reg. at 39,278.

¹³ *Id.*

¹⁴ *Id.*

¹⁵ *Id.*

¹⁶ *Id.*

¹⁷ *Id.* at 39,278-79.

¹⁸ 61 Fed. Reg. at 39,279-80, 83 (“By maintaining certain requirements throughout the decommissioning process, licensees will be able to use the existing [10 C.F.R.] § 50.59 process to perform decommissioning activities and thus provide comparable assurance that protection of the public health, safety, and the environment will not be compromised.”).

As a result of the 1996 decommissioning rulemaking, the decommissioning regulations currently require that, first, within two years following the permanent cessation of operations, the licensee submit to the NRC, instead of a decommissioning plan, a “post-shutdown decommissioning activities report” (PSDAR).¹⁹ The PSDAR must contain a description of, and schedule for, the licensee’s planned decommissioning activities, a discussion that provides the reasons for concluding that the environmental impacts associated with the site-specific decommissioning activities will be bounded by previously issued environmental impact statements, and a site-specific decommissioning cost estimate (DCE), including the projected cost of managing irradiated fuel.²⁰ Upon its receipt of the PSDAR, the NRC provides notice of receipt, makes the PSDAR available for public comment, and holds a public meeting to discuss it.²¹

In essence, the pre-1996 decommissioning process required an affirmative NRC licensing action on a decommissioning plan, whereas the current decommissioning process requires the NRC to oversee a licensee’s adherence to the regulations through its submission of a PSDAR.²² Namely, the PSDAR “serves to inform and alert the NRC staff to the schedule of licensee activities for inspection planning purposes and for decisions regarding NRC oversight activities.”²³ While the pre-1996 licensing process triggered an opportunity for a hearing, the current process does not.²⁴ Instead, an opportunity for hearing is afforded on the License

¹⁹ 10 C.F.R. § 50.82(a)(4)(i).

²⁰ *Id.*

²¹ 10 C.F.R. § 50.82(a)(4)(ii).

²² 61 Fed. Reg. at 39,282.

²³ *Id.*

²⁴ *Id.* at 39,278-80.

Termination Plan (LTP).²⁵ Additionally, the PSDAR process does not trigger a new NRC NEPA obligation because the licensee is required to demonstrate that the environmental impacts associated with decommissioning will be bounded by previously-issued environmental impact statements and because the decommissioning regulations otherwise prohibit major decommissioning activities that could result in significant environmental impacts not previously reviewed.²⁶

Ninety days after the NRC has received the PSDAR, unless the NRC objects to it,²⁷ the licensee may commence major decommissioning activities consistent with the PSDAR and the Commission's 10 C.F.R. § 50.59 change process.²⁸ The NRC had determined based on its experience with licensee decommissioning activities that the 10 C.F.R. § 50.59 change process is sufficient because it "encompass[e] routine activities that are similar to those undertaken during the decommissioning process."²⁹ The decommissioning regulations also provide additional restrictions prohibiting decommissioning activities that would (1) foreclose release of the site for possible unrestricted use, (2) result in significant environmental impacts not previously reviewed, or (3) result in there no longer being reasonable assurance that adequate funds will be available for decommissioning.³⁰ Moreover, when taking actions otherwise permitted under 10 C.F.R. § 50.59, the licensee is required to notify the NRC, and send a copy to the affected States, before performing any decommissioning activity inconsistent with, or

²⁵ 61 Fed. Reg. at 39,280; Regulatory Guide 1.179, Standard Format and Content of License Termination Plans for Nuclear Power Reactors, Rev. 1 (June 2011) (ADAMS Accession No. ML110490419).

²⁶ 61 Fed. Reg. at 39,283.

²⁷ *See id.* at 39,279.

²⁸ 10 C.F.R. § 50.82(a)(5).

²⁹ 61 Fed. Reg. at 39,279.

³⁰ 10 C.F.R. § 50.82(a)(6).

making any significant schedule change from, those actions and schedules described in the PSDAR, including changes that significantly increase the decommissioning cost.³¹

With respect to financial assurance during decommissioning, 10 C.F.R. § 50.82 provides that a DTF may only be used if:

(A) The withdrawals are for expenses for legitimate decommissioning activities consistent with the definition of decommissioning in [10 C.F.R.] § 50.2;

(B) The expenditure would not reduce the value of the decommissioning trust below an amount necessary to place and maintain the reactor in a safe storage condition if unforeseen conditions or expenses arise and;

(C) The withdrawals would not inhibit the ability of the licensee to complete funding of any shortfalls in the decommissioning trust needed to ensure the availability of funds to ultimately release the site and terminate the license.³²

Otherwise, the Commission acknowledged that, at the point when the licensee submits its decommissioning cost estimate (DCE), the licensee generally has “access to the balance of trust fund monies for the remaining decommissioning activities”³³ and is allowed “broad flexibility”³⁴

During decommissioning, the NRC monitors the licensee’s use of its DTF through annual financial assurance status reports, which must include the amount spent on decommissioning, the amount remaining in the DTF, and an updated estimate of the costs to complete

³¹ 10 C.F.R. § 50.82(a)(7).

³² 10 C.F.R. § 50.82(a)(8)(i).

³³ 61 Fed. Reg. at 39,285.

³⁴ *Id.*

decommissioning.³⁵ If there is a shortfall between the amount remaining in the DTF, taking into account a 2% annual real rate of return, and the updated cost to complete decommissioning, then the licensee must provide additional financial assurance to cover the shortfall.³⁶ Similarly, the licensee must also submit to the NRC annual reports on the status of its funding for managing irradiated fuel, including a plan to obtain additional funds to cover any projected shortfalls.³⁷

At least two years before the scheduled termination of the license (*i.e.*, the completion of decommissioning), the licensee is required submit to the NRC a license termination plan (LTP) as a license amendment request.³⁸ The LTP must include a site characterization, identification of the remaining dismantlement activities, plans for site remediation, detailed plans for the final radiation survey, an updated DCE, and a supplement to the environmental report.³⁹ Upon its receipt of the LTP, the NRC provides notice of receipt, makes the LTP available for public comment, and holds a public meeting to discuss it.⁴⁰ Unlike the PSDAR, the LTP requires NRC approval as a license amendment and, therefore, gives rise to a hearing opportunity and NRC NEPA obligations.⁴¹ In essence, the LTP is analogous to the previously required “decommissioning plan” with the exception that it does not have to provide information regarding all dismantlement activities because, presumably, much of the dismantlement would have already been performed under the PSDAR and the 10 C.F.R. § 50.59 change process.⁴² The

³⁵ 10 C.F.R. § 50.82(a)(8)(v).

³⁶ 10 C.F.R. § 50.82(a)(8)(vi).

³⁷ 10 C.F.R. § 50.82(a)(8)(vii).

³⁸ 10 C.F.R. § 50.82(a)(9).

³⁹ *Id.*

⁴⁰ 10 C.F.R. § 50.82(a)(9)(iii).

⁴¹ 61 Fed. Reg. at 39,280.

⁴² *Id.*

Commission approves the LTP if it demonstrates that the remainder of the decommissioning activities will be performed in accordance with the Commission's regulations, will not be inimical to the common defense and security or to the health and safety of the public, and will not have a significant effect on the quality of the environment.⁴³ After this approval, the Commission will then terminate the license once it determines that the remaining dismantlement has been performed in accordance with the LTP and that the final radiation survey demonstrates that the radiological criteria for license termination have been met.⁴⁴

As part of its rulemaking, the NRC received comments criticizing the decommissioning rule for not doing enough to ensure that licensees will have sufficient funds to complete decommissioning.⁴⁵ The Commission rejected these comments, stating that the decommissioning regulations adequately "preserve the integrity of the decommissioning funds by tying the rate of expenditure to specific parts of the decommissioning process."⁴⁶ However, the Commission acknowledged that it "believes that with electric utility deregulation becoming more likely, [the Commission] may need to require additional decommissioning funding assurance for those licensees that are no longer able to collect full decommissioning costs in rates or set their own rates."⁴⁷

III. The Promulgation of 10 C.F.R. § 50.75(h)
to Address Licensees That Are Not Electric Utilities

In order to address the issue of deregulation and its effect on financial assurance, as noted in its 1996 decommissioning rulemaking, the Commission began to impose additional

⁴³ 10 C.F.R. § 50.82(a)(10).

⁴⁴ 10 C.F.R. § 50.82(a)(11).

⁴⁵ 61 Fed. Reg. at 39,285.

⁴⁶ *Id.*

⁴⁷ *Id.*

requirements, in the form of license conditions, on licensees that were not electric utilities.⁴⁸

This enabled the Commission to find reasonable assurance that these non-utilities would have the funds available for the decommissioning process. Thus, when the rate-regulated Vermont Yankee Nuclear Power Corporation sought to transfer the VY license to Entergy, which is not an electric utility, the NRC required the addition of license conditions related to the VY DTF.⁴⁹

These license conditions are:

a. Decommissioning Trust

(i) The decommissioning trust agreement must be in a form acceptable to the NRC.

(ii) With respect to the decommissioning trust funds, investments in the securities or other obligations of Entergy Corporation and its affiliates, successors, or assigns shall be prohibited. In addition, except for investments tied to market indexes or other non-nuclear-sector mutual funds, investments in any entity owning one or more nuclear power plants are prohibited.

(iii) The decommissioning trust agreement must provide that no disbursements or payments from the trust, other than for ordinary administrative expenses, shall be made by the trustee until the trustee has first given the NRC 30 days prior written notice of payment. The decommissioning trust agreement shall further contain a provision that no disbursements or payments from the trust shall be made if the trustee receives prior written notice of objection from the Director of the Office of Nuclear Reactor Regulation.

⁴⁸ An electric utility is defined in 10 C.F.R. § 50.2 as “any entity that generates or distributes electricity and which recovers the cost of this electricity, either directly or indirectly, through rates established by the entity itself or by a separate regulatory authority.”

⁴⁹ See Order Approving Transfer of License for Vermont Yankee Nuclear Power Station from Vermont Yankee Nuclear Power Corporation to Entergy Nuclear Vermont Yankee, LLC, and Entergy Nuclear Operations, Inc., and Approving Conforming Amendment at Enclosure 1, p. 4-6, Enclosure 2, p. 8, Enclosure 3, p.7-8 (May 17, 2002) (ADAMS Accession No. ML020390198) (VY License Transfer Order).

(iv) The decommissioning trust agreement must provide that the

agreement cannot be amended in any material respect without 30 days prior written notification to the Director of the Office of Nuclear Reactor Regulation.

(v) The appropriate section of the decommissioning trust agreement shall state that the trustee, investment advisor, or anyone else directing the investments made in the trust shall adhere to a “prudent investor” standard, as specified in 18 CFR 35.32(a)(3) of the Federal Energy Regulatory Commission's regulations.

Entergy Nuclear Vermont Yankee, LLC shall take all necessary steps to ensure that the decommissioning trust is maintained in accordance with the application for approval of the transfer of this license to Entergy Nuclear Vermont Yankee, LLC and Entergy Nuclear Operations, Inc., and the requirements of the Order approving the transfer, and consistent with the safety evaluation supporting the Order.⁵⁰

Shortly after the addition of these DTF license conditions to the VY operating license, and based upon its lessons-learned from drafting such license conditions for Entergy and other licensees that were not electric utilities, the Commission issued a final rule promulgating similar regulatory requirements at 10 C.F.R. §§ 50.75(h)(1)-(4).⁵¹ Like the VY DTF license conditions, the purpose of these new DTF regulatory requirements was to provide “assurance that an adequate amount of decommissioning funds will be available for their intended purpose” for facilities, such as VY, that were no longer rate-regulated.⁵² The Commission found that such a generic rulemaking was preferable and more efficient than “applying specific license conditions

⁵⁰ Entergy Nuclear Vermont Yankee, LLC and Entergy Nuclear Operations, Inc. (Vermont Yankee Nuclear Power Station), Docket No. 50-271, Renewed Facility Operating License, Renewed Operating License No. DPR-28, at 7-8 (Mar. 21, 2011) (ADAMS Accession No. ML052720265) (VY Renewed Operating License).

⁵¹ See Decommissioning Trust Provisions, 67 Fed. Reg. 78,332 (Dec. 24, 2002) (final rule).

⁵² *Id.* at 78,332.

on a case-by-case basis” as had been done for VY and other facilities.⁵³ However, because of the existence of prior-issued DTF license conditions, one commenter on the proposed rule stated that, “it is not clear whether provisions in the proposed rule will supersede license conditions previously imposed in license transfer proceedings, or whether licensees with existing license conditions governing decommissioning trusts must apply to amend their licenses and whether these amendment applications would then be subject to hearings.”⁵⁴ In response, the Commission stated that, “licensees will have the option of maintaining their existing license conditions or submitting to the new requirements”⁵⁵ and it promulgated 10 C.F.R. § 50.75(h)(4), which states that any license amendment that “does no more than delete specific license conditions relating to the terms and conditions of decommissioning trust agreements involves ‘no significant hazards consideration.’”

The question regarding the interaction between site-specific DTF license conditions and the generic DTF regulations persisted, though, with the Nuclear Energy Institute writing to the NRC after the promulgation of the rule, in part, that “the rule language does not reflect the intent of the Commission that individual licensees should have the option of retaining their existing license conditions.”⁵⁶ The Commission agreed with this comment and addressed it through a direct final rule, less than a year after the original rulemaking, by adding to the regulations 10 C.F.R. § 50.75(h)(5), which was to become effective on December 24, 2003, the same effective date as the originally promulgated 10 C.F.R. §§ 50.75(h)(1)-(4).⁵⁷ Section 50.75(h)(5) states:

The provisions of paragraphs (h)(1) through (h)(3) of this section do not apply to any licensee that as of December 24, 2003, has existing license conditions relating to decommissioning

⁵³ *Id.* at 78,334.

⁵⁴ *Id.*

⁵⁵ *Id.* at 78,335.

⁵⁶ Minor Changes to Decommissioning Trust Fund Provisions, 68 Fed. Reg. 65,386, 65,387 (Nov. 20, 2003) (final rule).

⁵⁷ *Id.*

trust agreements, so long as the licensee does not elect to amend those license conditions. If a licensee with existing license conditions relating to decommissioning trust agreements elects to amend those conditions, the license amendment shall be in accordance with the provisions of paragraph (h) of this section.

Taken together, the regulations at 10 C.F.R. § 50.75(h)(4)-(5) and their regulatory history allow a licensee with DTF license conditions to either maintain those conditions, in which case 10 C.F.R. § 50.75(h)(1)-(3) does not “apply” to the licensee, or, instead, “elect” to follow 10 C.F.R. § 50.75(h)(1)-(3) by deleting these license conditions via a license amendment request.

IV. Entergy’s DTF License Amendment Request and Exemption Request

Based on 10 C.F.R. § 50.75(h)(4)-(5) and its regulatory history, on September 4, 2014, Entergy submitted a license amendment request (LAR) seeking to delete all of the VY DTF license conditions and, instead, be bound by the Commission’s DTF regulations at 10 C.F.R. § 50.75(h)(1)-(3).⁵⁸ Entergy characterized this LAR as “confined to administrative changes for providing consistency with existing regulations.”⁵⁹ On February 17, 2015, the NRC published in the *Federal Register* a notice of opportunity to request a hearing and petition for leave to intervene on the LAR.⁶⁰

Separate from, and subsequent to the LAR, Entergy submitted an exemption request pursuant to 10 C.F.R. § 50.12.⁶¹ The Exemption Request sought exemptions for VY from three

⁵⁸ Letter from Christopher Wamser, Entergy, to NRC, Proposed Change No. 310 - Deletion of Renewed Facility Operating License Conditions Related to Decommissioning Trust Provisions, Vermont Yankee Nuclear Power Station, Docket No. 50-271, License No. DPR-28, at 1 (Sept. 4, 2014) (ADAMS Accession No. ML14254A405) (LAR).

⁵⁹ *Id.* at Attachment 1, p. 8.

⁶⁰ 80 Fed. Reg. at 8,356.

⁶¹ Letter from Christopher Wamser, Entergy, to NRC, Request for Exemptions from 10 CFR 50.82(a)(8)(i)(A) and 10 CFR 50.75(h)(1)(iv), Vermont Yankee Nuclear Power Station, Docket No. 50-271, License No. DPR-28 (Jan. 6, 2015) (ADAMS Accession No. ML15013A171) (Exemption Request).

provisions of the Commission's regulations. It sought to exempt VY from 10 C.F.R. § 50.82(a)(8)(i)(A) so as to allow Entergy to be able to make withdrawals from the VY decommissioning trust fund (DTF) for certain irradiated fuel management costs.⁶² It also sought two exemptions from 10 C.F.R. § 50.75(h)(1)(iv) in the event that Entergy's prior-filed LAR were to be granted and, thus, that 10 C.F.R. § 50.75(h)(1)(iv) were to become applicable to VY.⁶³ Specifically, it sought an exemption from the requirement of 10 C.F.R. § 50.75(h)(1)(iv) that "[d]isbursements . . . from the trust . . . are restricted to decommissioning expenses . . . until final decommissioning has been completed." It also sought an exemption from the 10 C.F.R. § 50.75(h)(1)(iv) requirement, if it were to become applicable to VY, to provide 30-days' notice of these disbursements.⁶⁴ Thus, Entergy's Exemption Request sought to allow Entergy to make withdrawals from the VY DTF for certain spent fuel management expenses and to do so without having to provide 30-days' notice, similar to the manner in which Entergy is allowed to make decommissioning withdrawals from the VY DTF.⁶⁵ On June 17, 2015, the Staff granted the Exemption Request finding that it met the requirements for a specific exemption.⁶⁶

⁶² *Id.* at 1-2.

⁶³ *Id.* (acknowledging that Entergy had previously submitted an LAR seeking VY to be bound by 10 C.F.R. § 50.75(h)(1)-(3) and, therefore, requesting exemptions from 10 C.F.R. § 50.75(h)(1)(iv) "[s]ince approval of [the LAR] would result in 10 [C.F.R. §] 50.75(h)(1) through (h)(3) being applicable to [VY] . . ."). See also *Entergy Nuclear Vermont Yankee, LLC, & Entergy Nuclear Operations, Inc.* (Vermont Yankee Nuclear Power Station), LBP-15-24, 82 NRC __, __ (Aug. 31, 2015) (slip op. at 5) ("The two exemptions from 10 C.F.R. § 50.75(h)(1)(iv)—which allow Entergy to use the decommissioning trust fund for spent fuel management without providing a 30-day notification—have no practical effect because, unless the LAR is approved, 10 C.F.R. § 50.75(h) does not currently apply to Entergy.").

⁶⁴ See *Vermont Yankee*, LBP-15-24, 82 NRC at __ (slip op. at 40) (providing a chart explaining the practical effects of the LAR and the Exemption Request).

⁶⁵ Exemption Request at 2 (seeking to treat "disbursements for irradiated fuel management . . . the same as those for radiological decommissioning.").

⁶⁶ Entergy Nuclear Operations, Inc.; Vermont Yankee Nuclear Power Station, 80 Fed. Reg. 35,992 (June 23, 2015) (exemption, issuance).

The regulation at 10 C.F.R. § 50.12 provides that a specific exemption from the regulatory requirements of Part 50 may be granted if: the requested exemption is authorized by law, does not present an undue risk to the public health and safety, and is consistent with the common defense and security; and the application of the regulations in the particular circumstances conflicts with other rules or regulations, would not serve the underlying purpose of the regulations or would result in undue hardship or other costs that are significantly in excess of those contemplated when the regulations were adopted.

When it granted the exemption from 10 C.F.R. § 50.82(a)(8)(i),⁶⁷ the Staff discussed each of the criteria in 10 C.F.R. § 50.12 and explained why it concluded that the criteria were met. The Staff found that granting the exemption would not result in a violation of law or regulation.⁶⁸ The Staff further found that the exemption would not present an undue risk to public health and safety because it would not adversely affect the licensee's ability to complete radiological decommissioning. The Staff noted that withdrawals from the DTF would still be subject to the constraints of 10 C.F.R. § 50.82(a)(8)(i)(B) and (C). Subsection (B) prohibits expenditures that would reduce the value of the DTF below that necessary to place and maintain the reactor in safe storage. Subsection (C) prohibits withdrawals that would inhibit the ability of the licensee to complete funding of any shortfalls in the DTF. The Staff further noted that withdrawals from the DTF are reviewed on an annual basis. The Staff also determined that the exemption would not result in any new accident precursors or any change in the consequences of postulated accidents, the types or amounts of effluents that may be released

⁶⁷ The Staff's review of the exemptions that would have been applicable had the LAR been granted (exemptions from 10 C.F.R. § 50.75(h)(1)(iv)) are not discussed herein as the LAR has been withdrawn.

⁶⁸ 80 Fed. Reg. at 35,993.

offsite, or any significant increase in occupational or public radiation exposure.⁶⁹ The Staff noted that the exemption would not adversely affect security at the site and so would not be inconsistent with common defense and security.⁷⁰

Finally, the Staff determined that special circumstances presented by the situation justified the grant of the exemption.⁷¹ The underlying purpose of the restriction in 10 C.F.R. § 50.82(a)(8)(i)(A) was to ensure that the DTF contained sufficient funds to complete radiological decommissioning.⁷² The Staff performed an independent cash flow analysis of the DTF and confirmed that there was reasonable assurance of adequate funding to complete radiological decommissioning and to pay for spent fuel management. Accordingly, the Staff concluded that application of the regulatory prohibition against the use of the DTF for spent fuel management expenses was not necessary to achieve the underlying purpose of the rule. Furthermore, the Staff explained that because the DTF contains more money than needed to cover the cost of radiological decommissioning and because those excess funds could be used for spent fuel management, preventing the use of the DTF for spent fuel management expenses would create an unnecessary financial burden with no corresponding safety benefit. The Staff also stated that if Entergy could not use the DTF for spent fuel management, it would have to obtain additional funding or would have to modify its decommissioning approach and method, and that either option would impose an unnecessary and undue burden in excess of that contemplated when the regulation was adopted.

⁶⁹ *Id.*

⁷⁰ *Id.*

⁷¹ *Id.* at 35,993-94.

⁷² *Id.* at 35,993.

The Staff also conducted an environmental review and determined that this action belongs in a category of actions that the Commission has declared to be subject to a categorical exclusion.⁷³ The Commission has determined, by rule, that these actions do not individually or cumulatively have a significant effect on the human environment, and, therefore, do not require an environmental assessment (EA) or environmental impact statement (EIS).⁷⁴ Substantively identical exemption requests have previously been granted for Kewaunee Power Station,⁷⁵ San Onofre Nuclear Generating Station, Units 2 and 3,⁷⁶ and Crystal River Unit 3 Nuclear Generating Plant.⁷⁷ As a result of the grant of the Exemption Request, Entergy was able to make withdrawals from the VY DTF for spent fuel management expenses, but still had to provide 30-days' notice of these withdrawals since Entergy's LAR had not yet been granted and, consequently, VY License Condition 3.J.a.(iii) requiring these notifications was still in effect.⁷⁸

⁷³ *Id.* at 35,994.

⁷⁴ 10 C.F.R. § 51.22.

⁷⁵ See License Exemption Request for Dominion Energy Kewaunee, Inc., 79 Fed. Reg. 30,900 (May 29, 2014).

⁷⁶ See Southern California Edison Company; San Onofre Nuclear Generating Station, Units, 2 and 3, 79 Fed. Reg. 55,019 (Sept. 15, 2014).

⁷⁷ See Duke Energy Florida, Inc.; Crystal River Unit 3 Nuclear Generating Plant, 80 Fed. Reg. 5,795 (Feb. 3, 2015). See also SRM-SECY-14-0125, *Request by Entergy Nuclear Operations, Inc., for Exemptions from Certain Emergency Planning Requirements* (Mar. 2, 2015) (ADAMS Accession No. ML15061A516) ("The Commission continues to support the current practice of approving appropriately justified exemptions from certain emergency planning requirements while plants are transitioning to decommissioning based on site-specific evaluations.").

⁷⁸ See *Vermont Yankee*, LBP-15-24, 82 NRC at ___ (slip op. at 40) (providing a chart explaining the practical effects of the LAR and the Exemption Request).

On August 13, 2015, Vermont challenged the grant of the Exemption Request in the U.S. Court of Appeals for the District of Columbia Circuit.⁷⁹ Based on the fact that Vermont had filed the instant Petition, the NRC moved to dismiss for lack of finality.⁸⁰

V. Litigation Before the Atomic Safety and Licensing Board

On April 20, 2015, Vermont filed a Hearing Request challenging the licensee's LAR and request for exemptions. In the LAR, Entergy sought to have the provisions of 10 C.F.R. § 50.75(h)(1)-(3) applied to its license. Entergy also sought exemptions from 10 C.F.R. §§ 50.75(h)(1)(iv) and 50.82(a)(8)(i)(A).⁸¹ Vermont proffered four contentions that alleged that (1) the LAR involved significant safety and environmental hazards, failed to show compliance with 10 C.F.R. §§ 50.75(h)(1)(iv) and 50.82(a)(8)(i)(B) and (C), and failed to provide adequate protection of public health and safety,⁸² (2) the LAR was untimely because it was filed 12 years after the issuance of the Decommissioning Trust Rule and Entergy had not satisfied the timeliness requirements for petitions for reconsideration and motions for filing new or amended contentions after the deadline at 10 C.F.R. §§ 2.345 or 2.309, respectively,⁸³ (3) the LAR must be considered with the Exemption Request because the exemption, if granted, would not

⁷⁹ Petition for Review (Aug. 13, 2015), *The State of Vermont, et. al v. NRC*, D.C. Circuit No. 15-1279.

⁸⁰ Respondents' Motion to Dismiss (Nov. 16, 2015), *The State of Vermont, et. al v. NRC*, D.C. Circuit No. 15-1279.

⁸¹ State of Vermont's Petition for Leave to Intervene and Hearing Request (Apr. 20, 2015) (Hearing Request) (available as a package at ADAMS Accession No. ML15110A484 along with: Declaration of Anthony R. Leshinskie (Apr. 20, 2015) (Leshinskie Declaration); Anthony R. Leshinskie curriculum vitae (Leshinskie CV); Declaration of William Irwin, Sc.D, CHP (Apr. 20, 2015) (Irwin Declaration); William E. Irwin, Sc.D., CHP curriculum vitae (Irwin CV); Exhibit 1, Comments of the State of Vermont [on the Vermont Yankee Post-Shutdown Decommissioning Activities Report (PSDAR)] (Mar. 6, 2015) (Vermont's PSDAR Comments); Exhibit 2, Entergy Nuclear Vermont Yankee, LLC Master Decommissioning Trust Agreement for Vermont Yankee Nuclear Power Station (July 31, 2002) (MTA)).

⁸² See Hearing Request at 3-17.

⁸³ See *id.* at 17-20.

provide reasonable assurance of adequate protection of public health and safety,⁸⁴ and (4) the LAR should be denied because Entergy did not submit an environmental report in accordance with 10 C.F.R. §§ 51.53(d) and 51.61 and because the Staff's environmental review was not complete or categorically excluded under 10 C.F.R. § 51.22(c).⁸⁵

On July 6, 2015, Vermont proffered a fifth contention asserting that the LAR should be denied because the grant of the Exemption Request, rendered the LAR "no longer accurate within the meaning of 10 C.F.R. §§ 50.9 and 50.90" and its approval would "violate the requirement of 10 C.F.R. [§] 50.75(h)(5)".⁸⁶

The Staff and Entergy opposed the admission of all five contentions.⁸⁷

After hearing oral argument, the Atomic Safety and Licensing Board (Board) issued LBP-15-24, in which it admitted the first and fifth contentions and granted Vermont's Hearing Request.⁸⁸

⁸⁴ See *id.* at 20-26.

⁸⁵ See *id.* at 26-31.

⁸⁶ Motion at 4-5.

⁸⁷ See NRC Staff Answer to State of Vermont Petition for Leave to Intervene and Hearing Request (May 15, 2015) (ADAMS Accession No. ML15135A523) (Staff Answer); Entergy's Answer Opposing State of Vermont's Petition for Leave to Intervene and Hearing Request (May 15, 2015) (ADAMS Accession No. ML15135A498) (Entergy Answer). See also The State of Vermont's Reply to NRC Staff and Entergy Answers to Petition for Leave to Intervene and Hearing Request (May 22, 2015) (ADAMS Accession No. ML15142A902) (Vermont Reply); see NRC Staff's Answer to the State of Vermont's Motion for Leave to File New and Amended Contentions (July 31, 2015) (ADAMS Accession No. ML15212A281) (Staff Answer to New Contention); Entergy's Answer Opposing State of Vermont's New Contention V and Additional Bases for Pending Contentions I, III, and IV (July 31, 2015) (ADAMS Accession No. ML15212A825) (Entergy Answer to New Contention). See also State of Vermont's Reply in Support of Motion for Leave to File a New Contention and Add Bases and Support to Existing Contentions (Aug. 7, 2015) (ADAMS Accession No. ML15219A712) (Vermont Reply to New Contention).

⁸⁸ *Entergy Nuclear Vermont Yankee, LLC, & Entergy Nuclear Operations, Inc.* (Vermont Yankee Nuclear Power Station), LBP-15-24, 82 NRC ___ (Aug. 31, 2015) (slip op.).

Subsequently, on September 22, 2015, Entergy filed a motion with the Board to withdraw the LAR, without conditions, and to dismiss the proceeding without prejudice.⁸⁹ The Board granted Entergy's motion to withdraw the LAR without prejudice and terminated the proceeding.⁹⁰ The Board imposed the following conditions on the withdrawal: that (1) Entergy provide written notice to Vermont of any new license amendment application relating to the VY DTF at the time such application is submitted to the NRC and (2) specify in its 30-day notices to the NRC if any proposed disbursements is for any of the expenses to which Vermont had objected in its admitted contention. These expenses include (1) a \$5 million payment to Vermont as part of a settlement agreement; (2) emergency preparedness costs; (3) shipments of non-radiological asbestos waste; (4) insurance; (5) property taxes; and (6) replacement of structures related to dry cask storage, such as a bituminous roof. In addition, the Board required Entergy to report the disbursement of DTF money to pay "legal costs that were the factual basis of Contention 1."⁹¹

On October 6, 2015, the NRC Staff moved to vacate LBP-15-24, the Board decision on contention admissibility, on the grounds of mootness.⁹² Vermont opposed the motion,⁹³ which is currently pending before the Commission.

To sum up, as a result of the grant of the Exemption Request and the withdrawal of the LAR, the DTF license conditions and regulatory requirements currently applicable to the VY are as follows: VY License Condition 3.J.a. governs the VY DTF; the DTF regulations of 10 C.F.R.

⁸⁹ Entergy's Motion to Withdraw its September 4, 2014 License Amendment Request (Sept. 22, 2015) (ADAMS Accession No. ML15265A583).

⁹⁰ *Entergy Nuclear Vermont Yankee, LLC, and Entergy Nuclear Operations, Inc.* (Vermont Yankee Nuclear Power Station), LBP-15-28, 82 NRC __ (Oct. 15, 2015) (slip op.).

⁹¹ *Id.* at 2, 11-12.

⁹² NRC Staff Motion to Vacate LBP-15-24 (October 26, 2015) (ADAMS Accession No. ML15299A260).

⁹³ State of Vermont's Response to NRC Staff's Motion to Vacate LBP-15-24 (November 5, 2015) (ADAMS Accession No. ML15309A759).

§ 50.75(h)(1)-(3) do not apply to VY; and pursuant to the Staff's grant of Entergy's Exemption Request, 10 C.F.R. § 50.82(a)(8)(i) (A) does not apply to VY with respect to withdrawals from the VY DTF for spent fuel management expenses. Consequently, Entergy can make withdrawals from the VY DTF for certain spent fuel management expenses but, consistent with VY License Condition 3.J.a.(iii), must first give the NRC 30-days' prior written notice of these withdrawals. In addition, the conditions imposed by the Board in connection with the withdrawal of the LAR, and specified in LBP-15-28, apply.

DISCUSSION

I. Commission Supervisory Review

The Commission has inherent supervisory authority over proceedings and may exercise that authority to take *sua sponte* review.⁹⁴ The Commission has undertaken *sua sponte* review to consider "novel" issues with broad ramifications for the proceeding at hand and others.⁹⁵ The Commission has used its *sua sponte* authority to address unappealed issues or orders, to address issues of wide implication, and to provide guidance to a licensing board.⁹⁶ The Commission has done so even in moot cases where necessary to clarify important issues for the future.⁹⁷ However, the Commission has indicated that it disfavors requests to invoke its

⁹⁴ *Entergy Nuclear Vermont Yankee, LLC, and Entergy Nuclear Operations, Inc.* (Vermont Yankee Nuclear Power Station), CLI-07-1, 65 NRC 1, 4 (2007) (This provides "an avenue for [the Commission] to take various kinds of adjudicatory action").

⁹⁵ *North Atlantic Energy Service Corp.* (Seabrook Station, Unit 1), CLI-98-18, 48 NRC 129, 130 (1998).

⁹⁶ *Vermont Yankee*, CLI-07-1, 65 NRC at 4 (internal citations omitted); *Safety Light Corp.* (Bloomsburg Site Decontamination and License Renewal Denials), CLI-92-13, 36 NRC 79, 85 (1992) ("Even in the absence of a petition for review, the Commission retains its supervisory power over adjudications to step in at any stage of a proceeding and decide a matter itself"); see also 10 C.F.R. § 2.341 ("Within 120 days after the date of a decision or action by a presiding officer... the Commission may review the decision or action on its own motion").

⁹⁷ *Duke Energy Corp.* (Catawba Nuclear Station, Units 1 & 2), CLI-05-14, 61 NRC 359, 362 (2005) (finding authority to address moot questions because the "Commission is not subject to the constitutional 'case or controversy' requirement that prevents federal courts from deciding moot

inherent supervisory authority over adjudications.⁹⁸ The Commission has stated that simply because the Commission may exercise its authority “in no way implies that parties have a right to seek [] review on that same ground.”⁹⁹ Indeed, such requests are improper.¹⁰⁰

The Commission has also used its supervisory authority to institute a discretionary hearing, where none is required by law.¹⁰¹ However, the Commission has held that the institution of a proceeding where one is not required is appropriate only where substantial health and safety issues have been identified.¹⁰² Where a petitioner raises broad questions about health and safety, but makes no allegations that activities being conducted pose any unusual and significant unexamined issues, the Commission has found that a discretionary hearing is not warranted.¹⁰³ Moreover, the Commission has denied several recent requests for discretionary hearings,¹⁰⁴ concluding in each instance that there was no reason to bypass the Commission’s normal regulatory process and referring compliance and enforcement matters to Executive Director for Operations to consider the matter as a 10 C.F.R. § 2.206 petition.

questions”); *Cf. North Atlantic Energy Serv. Corp.* (Seabrook Station Unit No. 1), CLI-98-24, 48 NRC 267, 269 (1998) (“A moot adjudicatory proceeding is clearly not the forum to decide a novel issue”).

⁹⁸ *U.S. Department of Energy* (High-Level Waste Repository), CLI-11-13, 74 NRC 635, 637 n.11 (citing *U.S. Department of Energy* (High-Level Waste Repository), CLI-10-13, 71 NRC 387, 388 n.6 (2010) (citing *Entergy Nuclear Operations, Inc.* (Indian Point, Units 2 and 3), CLI-09-6, 69 NRC 128, 138 (2009))).

⁹⁹ *Carolina Power & Light Co.* (Shearon Harris Nuclear Power Plant), CLI-00-11, 51 NRC 297, 299 (2000).

¹⁰⁰ *Indian Point*, CLI-09-6, 69 NRC at 138 (citing *Shearon Harris*, CLI-00-11, 51 NRC at 299).

¹⁰¹ *Yankee Atomic Elec. Co.* (Yankee Nuclear Power Station), CLI-94-3, 39 NRC 95, 103 (1994) (42 U.S.C. § 2201(c), which authorizes the Commission to make studies and investigations, obtain such information, and hold such meetings or hearings as the Commission may deem necessary or proper to assist it in exercising any authority provided in this chapter, or in the administration or enforcement of this chapter, or any regulations or orders issued thereunder.).

¹⁰² *Id.*

¹⁰³ *Id.*

¹⁰⁴ *Florida Power & Light Co.* (St. Lucie Plant, Unit 2), CLI-14-11, 80 NRC 167, 173 (2014); *Omaha Pub. Power Dist.* (Fort Calhoun Station, Unit 1), CLI-15-5, 81 NRC 329, 338-39 (2015); *Pacific Gas & Elec. Co.* (Diablo Canyon Power Plant, Units 1 & 2), CLI-15-14, 81 NRC 729, 737-38 (2015).

II. Supervisory Review Is Not Warranted.

Vermont argues in its petition that the Commission should exercise its supervisory authority and take *sua sponte* review of the issues it raised in its petition.¹⁰⁵ In support, Vermont asserts that the question of what constitutes legitimate decommissioning expenses is a novel one that will have broad impacts on future decommissioning licensees¹⁰⁶ and Vermont requests a hearing on that question.¹⁰⁷

Although the Commission may exercise its supervisory authority, a petitioner does not have the right to request such action. The Commission has made it clear that it will not entertain appeals of Director's decisions on § 2.206 petitions or Staff decisions regarding no significant hazard consideration decisions although it may take those issues up *sua sponte*.¹⁰⁸ The Commission exercises its supervisory authority on its own impetus, not upon the request of a party in a proceeding. The Commission explained that it "may exercise its discretion to review a licensing board's interlocutory order if the *Commission* wants to address a novel or important issue."¹⁰⁹ The Commission went on to say that its "decision to do so in any particular proceeding stems from its inherent supervisory authority over adjudications and in no way implies that *parties* have a right to seek interlocutory review on that same ground."¹¹⁰ However,

¹⁰⁵ Petition at 10.

¹⁰⁶ *Id.* at 10-11.

¹⁰⁷ *Id.*

¹⁰⁸ See 10 C.F.R. §§ 2.206 and 50.58(b); See also *Yankee Atomic Elec. Co.* (Yankee Nuclear Power Station), CLI-96-6, 43 NRC 123, 127 (1996) ("our regulations specifically provide that the Commission will not entertain appeals from the Director's decision"); *Carolina Power & Light Co.* (Shearon Harris Nuclear Power Plant), CLI-01-7, 53 NRC 113, 117 (2001) (denying petition for review of Staff's no significant hazards consideration decision because such review is subject only to the Commission's discretion).

¹⁰⁹ *Shearon Harris*, CLI-00-11, 51 NRC at 299 (emphasis in original).

¹¹⁰ *Id.* (emphasis added).

Vermont is doing just that; it is seeking review based on the Commission's inherent supervisory authority and its request is, therefore, improper.¹¹¹

Moreover, Vermont has not demonstrated that its claims are novel or that the broad reach of the issue justifies the Commission's exercise of supervisory authority. First, these issues are not novel. Decommissioning and DTF issues were considered by the Commission in 1996 and 2002, and there is a current rulemaking underway that proposes to address such issues.¹¹² Moreover, how a licensee decommissions, and specifically, how it funds decommissioning, has been addressed in a number of prior proceedings.¹¹³ Furthermore, the Staff has considered similar issues at other plants, including exemptions related to DTF expenditures.¹¹⁴ Thus, the issues are not novel, but rather, have been examined by the Commission, Staff, and Boards numerous times in the past.

Also, Vermont's concerns regarding what expenses the DTF can be used to fund, are of broad applicability, and as such they are being addressed in the rulemaking that is currently underway.¹¹⁵ These issues, because of their broad applicability are more appropriately addressed in a rulemaking, not in an adjudication.¹¹⁶ Thus, it is unnecessary for the

¹¹¹ *Indian Point*, CLI-09-6, 69 NRC at 138.

¹¹² Decommissioning of Nuclear Power Reactors, 61 Fed. Reg. 39,278, 39,278-80 (July 29, 1996) (Final rule); Decommissioning Trust Provisions, 67 Fed. Reg. 78332 (Dec. 24, 2002);

¹¹³ See generally *Yankee Atomic Elec. Co.* (Yankee Nuclear Power Station), CLI-96-7, 43 NRC 235 (1996); *PPL Susquehanna, LLC* (Susquehanna Steam Elec. Station, Units 1 & 2), CLI-15-08 81 NRC 500 (2015); *Honeywell Int'l, Inc.* (Metropolis Works Uranium Conversion Facility) CLI-13-1, 77 NRC 1 (2013); *Safety Light Corp.* (Bloomsburg, Pennsylvania Site), LBP-05-2, 61 NRC 53 (2005).

¹¹⁴ See License Exemption Request for Dominion Energy Kewaunee, Inc., 79 Fed. Reg. 30,900 (May 29, 2014); Southern California Edison Company; San Onofre Nuclear Generating Station, Units, 2 and 3, 79 Fed. Reg. 55,019 (Sept. 15, 2014); Duke Energy Florida, Inc.; Crystal River Unit 3 Nuclear Generating Plant, 80 Fed. Reg. 5,795 (Feb. 3, 2015).

¹¹⁵ 80 Fed. Reg. 72,358, 72,368-69.

¹¹⁶ See e.g., *Yankee Atomic*, CLI-96-7, 43 NRC 235, 252 (1996) ("An adjudication of a single case is not the place to consider [a] Petitioners' across-the-board challenge" to a Commission decision to generically approve something); *Duke Energy Corp.* (Oconee Nuclear Station, Units 1, 2, & 3), CLI-99-11, 49 NRC 328, 345 (1999) ("It has long been agency policy that Licensing Boards should not accept in individual license proceedings contentions which are (or are about to become) the subject of general

Commission to use this proceeding to clarify these issues for future proceedings. Because a rulemaking is underway, this is not an appropriate situation for the exercise of the Commission's inherent supervisory authority.¹¹⁷ Moreover, as the Commission has observed, a moot proceeding such as this is not the best forum to decide broadly applicable issues like those Vermont raises.¹¹⁸ The rulemaking process should be allowed to proceed, with public notice and comment and Staff consideration of them on these and other decommissioning issues, and ultimately for Commission approval based on the Staff's recommendation.¹¹⁹

Vermont's request is more akin to a request that the Commission exercise its supervisory authority and order a discretionary hearing outside of the traditional hearing process.¹²⁰ However, Vermont has not demonstrated a substantial risk to public health and safety and the issues Vermont raises with respect to the decommissioning process do not, in and of themselves, raise a substantial public health or safety risk. The risk of an offsite radiological release is significantly lower and the types of possible accidents are significantly fewer at permanently shut down and defueled facilities than at operating facilities.¹²¹ This is

rulemaking by the Commission") (internal quotations omitted); *Duke Power Co., et al.* (Catawba Nuclear Station, Units 1 & 2), ALAB-813, 22 NRC 59 (1985) (finding Licensing Board was correct in rejecting contentions because they were the subject of an ongoing rulemaking).

¹¹⁷ See e.g., *Yankee Atomic*, CLI-96-7, 43 NRC at 252 ("An adjudication of a single case is not the place to consider [a] Petitioners' across-the-board challenge" to a Commission decision to generically approve something); *Duke Energy Corp.* (Oconee Nuclear Station, Units 1, 2, & 3), CLI-99-11, 49 NRC 328, 345 (1999) ("It has long been agency policy that Licensing Boards should not accept in individual license proceedings contentions which are (or are about to become) the subject of general rulemaking by the Commission") (internal quotations omitted); *Duke Power Co., et al.* (Catawba Nuclear Station, Units 1 & 2), ALAB-813, 22 NRC59 (1985) (finding Licensing Board was correct in rejecting contentions because they were the subject of an ongoing rulemaking).

¹¹⁸ *Seabrook*, CLI-98-24, 48 NRC at 269.

¹¹⁹ Vermont, itself, could petition for rulemaking pursuant to 10 C.F.R. § 2.802, but it has not done so.

¹²⁰ See e.g., *St. Lucie*, CLI-14-11, 79 NRC at 173; *Fort Calhoun*, CLI-15-5, 81 NRC 329, 338-39 (2015); *Diablo Canyon*, CLI-15-14, 81 NRC 729 (2015).

¹²¹ See NUREG-1738, *Technical Study of Spent Fuel Pool Accident Risk at Decommissioning Nuclear Power Plants*, at 3-1 (Feb. 2001) (ADAMS Accession No. ML010430066) (NUREG-1738). The purpose of NUREG-1738 was to "support development of a risk-informed technical basis for reviewing

because, for operating facilities, a large number of different event sequences make significant contributions to risk, but, for permanently shut down and defueled facilities, the most severe accident is a loss of spent fuel pool (SFP) water inventory and the subsequent heat-up of the spent fuel stored therein to the point of rapid oxidation (*i.e.*, a zirconium fire).¹²² The event sequences important to this risk are limited to large earthquakes and cask drop events.¹²³ Essentially, the risks for permanently shut down and defueled facilities with spent fuel in their SFPs are limited to the risks for SFPs,¹²⁴ which technical studies spanning from 1975 to 2014 have demonstrated to be very low.¹²⁵ As a result, the Staff has concluded that it can grant exemptions from certain of the Commission's EP requirements with an acceptably small change in risk for permanently shut down and defueled facilities so long as those facilities meet specific design and operational characteristics.¹²⁶ In fact, the NRC has exempted permanently shut

[EP] exemption requests [at decommissioning nuclear power plants] and a regulatory framework for integrated rulemaking." *Id.* at ix. See also SECY-00-0145, *Integrated Rulemaking Plan for Nuclear Power Plant Decommissioning* (June 28, 2000) (ADAMS Accession No. ML003721626). This proposed rulemaking was later deferred in light of higher priority work after the terrorist attacks of September 11, 2001.

¹²² NUREG-1738 at ix.

¹²³ *Id.* at x.

¹²⁴ See *id.* at 1-1. See also SECY-99-168, *Improving Decommissioning Regulations for Nuclear Power Plants*, at 2 (June 30, 1999) (ADAMS Accession No. ML992800087); NEI 99-01, Rev. 6, at C-1.

¹²⁵ See NUREG-75/014, *Reactor Safety Study, an Assessment of Accident Risks in U.S. Commercial Nuclear Power Plants* (Oct. 1975) (ADAMS Accession No. ML070610293); NUREG-1353, *Regulatory Analysis for the Resolution of Generic Issue 82, "Beyond Design Basis Accidents in Spent Fuel Pools"* (Apr. 1989) (ADAMS Accession No. ML082330232); NUREG-1738; Sandia Report, MELCOR 1.8.5 Separate Effect Analyses of Spent Fuel Pool Assembly Accident Response (Jun. 2003) (Sandia Report) (ADAMS Accession No. ML062290362) (redacted); NUREG-2161, *Consequence Study of a Beyond-Design-Basis Earthquake Affecting the Spent Fuel Pool for a U.S. Mark I Boiling Water Reactor* (Sept. 2014) (ADAMS Accession No. ML14255A365); NUREG-2157, Vol. 1, *Generic Environmental Impact Statement for Continued Storage of Spent Nuclear Fuel* (Sept. 2014) (ADAMS Accession No. ML14196A105) (demonstrating that "the probability-weighted impacts, or risk, from a spent fuel pool fire for the short-term storage timeframe are SMALL because, while the consequences from a spent fuel pool fire could be significant and destabilizing, the probability of such an event is extremely remote.").

¹²⁶ NUREG-1738 at ix-x, 3-5 – 3-6, 4-12; NSIR/DPR-ISG-02, *Interim Staff Guidance; Emergency Planning Exemption Requests for Decommissioning Nuclear Power Plants* at 9-10, Table 1 (May 11, 2015) (ADAMS Accession No. ML14106A057).

down and defueled facilities with spent fuel stored in their SFPs from certain EP regulations, allowing them to stop maintaining formal offsite radiological emergency plans and to reduce the scope of their onsite EP activities.¹²⁷ Therefore, as a permanently shut down facility, VY poses less of a safety concern than an operating facility and, as such, cannot pose the kind of safety risk that would warrant the Commission ordering a discretionary hearing on Vermont's Petition.¹²⁸

¹²⁷ See Exemption, 58 Fed. Reg. 52,333, 52,333-34 (Oct. 7, 1993) (granting EP exemptions for the permanently shut down and defueled Trojan Nuclear Power Plant); Connecticut Yankee Atomic Power Company and Haddam Neck Plant; Exemption, 63 Fed. Reg. 47,331, 47,332 (Sept. 4, 1998) (granting EP exemptions for the permanently shut down and defueled Connecticut Yankee Nuclear Power Plant); Maine Yankee Atomic Power Company, Maine Yankee Atomic Power Station; Exemption, 63 Fed. Reg. 48,768, 48,770 (Sept. 11, 1998) (granting EP exemptions for the permanently shut down and defueled Maine Yankee Nuclear Power Plant); Consumers Energy Company; Big Rock Point Nuclear Plant; Exemption, 63 Fed. Reg. 53,940, 53,942-43. (Oct. 7, 1998) (granting EP exemptions for the permanently shut down and defueled Big Rock Point Nuclear Power Plant); Commonwealth Edison Company; (Zion Nuclear Power Station, Units 1 and 2); Exemption, 64 Fed. Reg. 48,856, 48,856-57 (Sept. 8, 1999) (granting EP exemptions for the permanently shut down and defueled Zion Nuclear Power Station); Dominion Energy Kewaunee, Inc.; Kewaunee Power Station, 79 Fed. Reg. 65,715 (Nov. 5, 2014) (granting EP exemptions for the permanently shut down and defueled Kewaunee Power Station); Duke Energy Florida, Inc.; Crystal River Unit 3 Nuclear Generating Station, 80 Fed. Reg. 19,358 (Apr. 10, 2015) (granting EP exemptions for the permanently shut down and defueled Crystal River Unit 3 Nuclear Generating Plant); Southern California Edison Company; San Onofre Nuclear Generating Station, Units 1, 2, and 3, and Independent Spent Fuel Storage Installation, 80 Fed. Reg. 33,558 (June 12, 2015) (granting EP exemptions for the permanently shut down and defueled San Onofre Nuclear Generating Station, Units 1, 2, and 3); SRM-SECY-14-0125, *Request by Entergy Nuclear Operations, Inc., for Exemptions from Certain Emergency Planning Requirements* (Mar. 2, 2015) (ADAMS Accession No. ML15061A516) (granting EP exemptions for the permanently shut down and defueled Vermont Yankee Nuclear Power Station). On December 2, 2015, the Staff notified the Commission that the Staff proposes to make a final no significant hazards consideration determination and issue a related license amendment that will revise the VY site emergency plan and emergency action level scheme and reduce the scope of offsite and onsite emergency planning. Commission Notification of Significant Licensing Action in Docket No. 50-271-LA-2 (ADAMS Accession No. ML15336A712).

¹²⁸ In further support of its request for review, Vermont cites the Staff's cancellation of Entergy's parent company guarantee. Petition at 17. Its discussion of the parent company guarantee is incorrect, however. Because of a market downturn, several decommissioning trust funds failed to meet the minimum formula amount for financial assurance in 10 C.F.R. § 50.75(c). VY's DTF was one of those and in order to certify financial assurance, Entergy augmented the VY DTF with a parent company guarantee. Letter from J. Kim, NRC, to Entergy Nuclear Operations, Inc. re Decommissioning Funding status, Report for Vermont Yankee Nuclear Power Station, Dec. 8, 2009 (ADAMS Accession No. ML093410582). In 2015, the Staff found that the VY DTF no longer required the parent company guarantee in order to meet the financial assurance requirements for decommissioning and, on that basis, cancelled that parent company guarantee. Letter from M. Khanna to Site Vice President, Entergy Nuclear Operations, Inc., Vermont Yankee Nuclear Power Station, April 21, 2015 (ADAMS Accession No. ML15107A074). Separately, and not as a replacement for the 2009 parent company guarantee, Entergy submitted a parent company guarantee, as required by 10 C.F.R. § 50.82(a)(8)(iv), to provide secondary

For the foregoing reasons, the Commission should decline to undertake supervisory or discretionary *sua sponte* review.

III. Vermont's Petition Should Be Denied Because It Is Procedurally Improper

In its Petition, Vermont requests that the NRC conduct a “robust, comprehensive, and participatory review” of Entergy’s use the Vermont Yankee DTF.¹²⁹ Vermont explains that the purpose of its Petition “is to have one authority—the Commissioners or a designated Atomic Safety and Licensing Board (ASLB)” address Entergy’s interrelated requests in a coordinated matter to ensure adequate protection of public health and safety during the decommissioning of Vermont Yankee.¹³⁰ Specifically, Vermont asks the Commission to grant a hearing to address the need to: (1) reverse the Staff’s grant of Entergy’s Exemption Request; (2) review all of Entergy’s withdrawal requests from the VY DTF and prohibit Entergy from making future withdrawals for expenses not meeting the NRC’s definition of decommissioning; (3) require Entergy to provide detail in its 30-day notices; (4) find Entergy’s post-shutdown decommissioning activities report (PSDAR) and associated filings deficient; (5) undertake a NEPA review with respect to Entergy’s withdrawals from the VY DTF; and (6) take any other actions necessary to protect the DTF until decommissioning is complete.¹³¹

Vermont’s filing, however, is not authorized by the Atomic Energy Act of 1954, as amended (AEA)¹³² or Commission regulations, and attempts to circumvent the Commission’s well-established Rules of Practice and Procedure in 10 C.F.R. Part 2. As explained in detail below, Vermont’s Petition should be denied as procedurally improper because: (1) there is no

coverage above and beyond the DTF and thus to provide added financial assurance to address the period of SAFSTOR. PSDAR at 21 and List of Regulatory Commitments, Attachment 1 at 1.

¹²⁹ Petition at 1.

¹³⁰ Petition at 1.

¹³¹ Petition at 8-9.

¹³² Atomic Energy Act of 1954, as amended, § 189.a.(1)(A), 42 U.S.C. § 2239(a)(1)(A) (listing NRC licensing action that give rise to hearing rights).

proceeding triggering hearing rights under AEA 189a; (2) the Staff's grant of the Exemption Request is not subject to a hearing; (3) the matters Vermont raises in its Petition for Review do not trigger hearing rights under Atomic Energy Act (AEA); and (4) Vermont's Petition does not meet the contention admissibility standards in 10 C.F.R. § 2.309. Instead, Vermont raises numerous issues that could be raised in petitions for enforcement action or rulemaking under 10 C.F.R. § 2.206 or § 2.802, respectfully. The matters it seeks to raise are not appropriate for an adjudicatory proceeding before either the Commission or an ASLB.

A. The Legal Standards that Govern Requests for Hearings

To obtain a hearing, a petitioner must request a hearing on a matter that triggers a hearing opportunity under section 189a of AEA.¹³³ Specifically, section 189a states, in part:

In any proceeding under this Act, for the granting, suspending, revoking, or amending of any license or construction permit, or application to transfer control . . . the Commission shall grant a hearing upon the request of any person whose interest may be affected by the proceeding, and shall admit any such person as a party to such proceeding.

Intervention is not available where there is no pending "proceeding" of the sort specified in section 189a.¹³⁴ Moreover, neither licensee activities nor NRC inspection of those activities provides the opportunity for a hearing under the AEA because those activities only concern compliance with the terms of an existing license.¹³⁵ Indeed, oversight activities normally conducted for the purpose of ensuring that licensees comply with existing NRC requirements

¹³³ *Fort Calhoun*, CLI-15-5, 81 NRC at 333.

¹³⁴ *State of New Jersey* (Department of Law and Public Safety's Requests Dated October 8, 1993), CLI-93-25, 38 NRC 289, 292 (1993) (citing *Texas Utilities Electric Co.* (Comanche Peak Steam Electric Station, Units 1 and 2), CLI-92-12, 36 NRC 62, 67 (1992)).

¹³⁵ *St. Lucie*, CLI-14-11, 80 NRC at 174 (2014).

and license conditions do not typically trigger the opportunity for a hearing under the AEA.¹³⁶ Instead, the appropriate means of challenging licensee actions is through a petition under 10 C.F.R. § 2.206.¹³⁷

Further, neither the AEA nor the Commission's Rules of Practice provide third parties with a right to an adjudicatory hearing on an exemption request.¹³⁸ For example, in *Commonwealth Edison Co.* (Zion Nuclear Power Station, Units 1 and 2), the Commission denied hearing requests challenging exemptions related to physical security at decommissioning reactors.¹³⁹ The Commission held that the exemption request did not amend the Zion license and that "there is no right to request a hearing" to challenge "an exemption from NRC regulations."¹⁴⁰ Hearing rights to exemptions only attach when the exemption is requested during an ongoing licensing proceeding, and the exemption is essential to the applicant's licensability.¹⁴¹

The purpose of AEA § 189a hearings is to allow for meaningful public participation and prompt resolution of issues in controversy in a licensing proceeding.¹⁴² However, it is well-established that section 189a does not provide an unqualified right to a hearing. Rather, the Commission is authorized to establish reasonable regulations on procedural matters such as

¹³⁶ *Fort Calhoun*, CLI-15-5, 81 NRC at 333.

¹³⁷ See, e.g., *Pacific Gas & Elec. Co.* (Diablo Canyon Nuclear Power Plant, Units 1 and 2), CLI-15-21, 82 NRC __, __ (Nov. 9, 2015) (slip op. at 17 n.69) ("[C]ontrary to [the petitioner's] view . . . the [10 C.F.R. §] 2.206 process is designed for bringing just such a challenge regarding a licensee's current operation under its existing license."); *St. Lucie Plant*, CLI-14-11, 80 NRC at 176.

¹³⁸ AEA § 189.a.(1)(A); *Brodsky v. NRC*, 578 F.3d 175, 180 (2d Cir. 2009) (citing 42 U.S.C. § 2239(a)(1)(A)) (holding that exemption requests do not give rise to hearing rights).

¹³⁹ *Commonwealth Edison Co.* (Zion Nuclear Power Station, Units 1 and 2), CLI-00-5, 51 NRC 90, 96–97 (2000).

¹⁴⁰ *Id.*

¹⁴¹ *Private Fuel Storage, L.L.C.* (Independent Irradiated Fuel Storage Installation), CLI-01-12, 53 NRC 459, 467 (2001).

¹⁴² *Policy on Conduct of Adjudicatory Proceedings*, CLI-98-12, 48 NRC 18, 19 (1998).

the filing of petitions to intervene and on the proffering of contentions.¹⁴³ Thus, the Commission promulgated the regulations in 10 C.F.R. Part 2, “Agency Rules of Practice and Procedure,” which govern the conduct of all proceedings under the AEA for licensing actions,¹⁴⁴ and establish certain requirements which must be met before an AEA § 189a hearing will be granted. Specifically, to obtain a hearing under the Commission’s regulations in 10 C.F.R. Part 2, a petitioner must show that its hearing request is timely, that it has standing to obtain a hearing, and that it has proposed at least one admissible contention.¹⁴⁵

Section 2.309(a) specifies that “Any person whose interest may be affected by a proceeding and who desires to participate as a party *must file a written request for hearing and a specification of the contentions* which the person seeks to have litigated in the hearing.”¹⁴⁶ The Commission’s contention admissibility requirements are set forth in 10 C.F.R. § 2.309(f)(1). In accordance with 10 C.F.R. § 2.309(f)(1), an admissible contention must provide a specific statement of the issue raised, provide a basis for the contention, demonstrate that the contention is within the scope of the proceeding and material to the findings the NRC must make, provide a concise statement of the alleged facts and expert opinions upon which the petitioner intends to rely, and show that the contention raises a genuine dispute on a material issue. In addition, a proposed contention must be rejected if it challenges the Commission’s regulations without a waiver of the regulation prohibiting such challenges, because such a challenge is necessarily beyond the scope of the proceeding.¹⁴⁷

¹⁴³ *Duke Power Co. (Catawba Nuclear Station, Units 1 and 2)*, CLI-83-19, 17 NRC 1041, 1045 (1983) (citing *BPI v. AEC*, 502 F.2d 424 (D.C. Cir. 1974); *Easton Utilities Commission v. AEC*, 424 F.2d 847 (D.C. Cir. 1970)).

¹⁴⁴ 10 C.F.R. § 2.1.

¹⁴⁵ 10 C.F.R. § 2.309.

¹⁴⁶ 10 C.F.R. § 2.309(a) (emphasis added).

¹⁴⁷ 10 C.F.R. § 2.335(a). See also *Philadelphia Elec. Co. (Peach Bottom Atomic Power Station, Units 2 and 3)*, ALAB-216, 8 AEC 13, 20 (1974) (“[A] licensing proceeding before this agency is plainly

The contention admissibility requirements of 10 C.F.R. § 2.309(f)(1) are intended to “focus litigation on concrete issues and result in a clearer and more focused record for decision.”¹⁴⁸ Indeed, by focusing litigation efforts on specific and well defined issues, all parties will be relieved of the burden of having to develop evidence and prepare a case to address possibly wide-ranging, vague, undefined issues.¹⁴⁹ Further, the Commission has stated that it “should not have to expend resources to support the hearing process unless there is an issue that is appropriate for, and susceptible to, resolution in an NRC hearing” as indicated by a proffered contention that satisfies all of the 10 C.F.R. § 2.309(f)(1) requirements.¹⁵⁰ Challenges to the Commission’s regulations may be addressed through 10 C.F.R. § 2.802 petitions for rulemaking.¹⁵¹

**B. Vermont’s Petition Should Be Denied Because There Is No
Licensing Action or Proceeding to Trigger AEA § 189 Hearing Rights.**

To obtain a hearing under the AEA, a petitioner must address its hearing request to a matter that triggers a hearing opportunity under section 189a of the AEA—i.e., the granting, suspending, revoking, or amending of a license.¹⁵² However, there is no licensing action regarding the VY DTF currently before the Staff and thus no vehicle for the intervention that Vermont seeks. Entergy previously filed an LAR to delete from the VY operating license all of its conditions related to the VY DTF¹⁵³ and replace them with the provisions in the regulations at

not the proper forum for an attack on applicable statutory requirements or for challenges to the basic structure of the Commission’s regulatory process.”).

¹⁴⁸ Changes to Adjudicatory Process, 69 Fed. Reg. 2,182, 2,202 (Jan. 14, 2004) (final rule).

¹⁴⁹ *Id.* at 2,188.

¹⁵⁰ *Id.* at 2,202.

¹⁵¹ 10 C.F.R. § 2.802.

¹⁵² AEA § 189a.

¹⁵³ See Entergy Nuclear Vermont Yankee, LLC and Entergy Nuclear Operations, Inc. (Vermont Yankee Nuclear Power Station), Docket No. 50-271, Renewed Facility Operating License, Renewed

10 C.F.R. § 50.75(h)(1)-(3).¹⁵⁴ This was the subject of a separate proceeding where the Board granted Vermont intervention.¹⁵⁵ However, the Board has since granted Entergy's request to withdraw its license amendment without prejudice and terminated the proceeding.¹⁵⁶

Moreover, as Vermont concedes, Entergy has not submitted any other license amendment requests associated with the VY decommissioning trust fund,¹⁵⁷ nor has the Staff instituted any proceeding to modify, suspend, or revoke Entergy's license with respect to the VY DTF. Therefore, there is no proceeding regarding any licensing action related to the VY decommissioning trust fund that would trigger a hearing right under section 189a.¹⁵⁸ Accordingly, Vermont's Petition should be dismissed.

C. The Staff's Grant of the VY Exemption Is Not Subject to Hearing

Vermont stresses that the Commission's regulations prohibit the use of decommissioning funds for any purpose other than legitimate decommissioning expenses.¹⁵⁹ However, the Commission has the authority, pursuant to 10 C.F.R. § 50.12, to exempt licensees from any of its regulatory requirements in 10 C.F.R. Part 50, including the regulatory requirements identified by Vermont as limiting withdrawals from DTFs to legitimate decommissioning expenses.¹⁶⁰ In that event, NRC case law is clear: the grant of an exemption

Operating License No. DPR-28, at 7-8 (Mar. 21, 2011) (ADAMS Accession No. ML052720265) (providing "Decommissioning Trust" license conditions at 3.J).

¹⁵⁴ LAR at 1.

¹⁵⁵ *Vermont Yankee*, LBP-15-24, 82 NRC at __ (slip op. at 1).

¹⁵⁶ *Vermont Yankee*, LBP-15-28, 82 NRC at __ (slip op. at 1).

¹⁵⁷ Petition at 13.

¹⁵⁸ *New Jersey*, CLI-93-25, 38 NRC at 292.

¹⁵⁹ Petition for Review at 18-23.

¹⁶⁰ *Commonwealth of Massachusetts v. NRC*, 878 F.2d 1516 (1st Cir. 1989); *Zion*, CLI-00-5, 51 NRC at 97 (explaining that, consistent with 10 C.F.R. § 50.12, the Commission may grant exemptions from any of its regulations in 10 C.F.R. Part 50, either temporarily or permanently, and that such exemptions do not amend a license or modify the regulations because they do not change a licensee's

is not subject to challenge by an intervenor in an adjudicatory hearing. As the Commission explained, “Congress intentionally limited the opportunity for a hearing to certain designated agency actions” and these agency actions “do *not* include exemptions.”¹⁶¹

Although the granting of an exemption, on its own, does not give rise to a hearing opportunity, the Commission found in *PFS* that there are limited instances in which an exemption request is related to a license application or an amendment request in such a way that the hearing opportunity on the license application or amendment request encompasses the exemption request.¹⁶² *PFS* involved an “Exemption Request Related to Initial Licensing”¹⁶³ where the exemption request sought an exemption “in the midst of a licensing proceeding” from “required elements of the license application process” that must be met “before the NRC can find the facility safe and license it.”¹⁶⁴ The Commission ruled that, in such a situation, “[b]ecause resolution of the exemption request directly affects the *licensability* of the proposed [underlying license application], the exemption raises material questions directly connected to an agency licensing action, and thus comes within the hearing rights of interested parties.”¹⁶⁵ Therefore, the test for whether an exemption request gives rise to an opportunity for a hearing is whether the exemption request directly affects the licensability of an existing LAR.

duty to follow the regulations, but on which regulations apply to the licensee consistent with the regulations themselves).

¹⁶¹ *Zion*, CLI-00-5, 51 NRC at 96 (emphasis in original). See also *Brodsky v. NRC*, 578 F.3d 175, 180-81 (2d Cir. 2009) (deferring to the NRC interpretation that AEA § 189a. does not provide an opportunity for a hearing on exemptions); *Honeywell*, CLI-13-1, 77 NRC at 10 (“An exemption standing alone does not give rise to an opportunity for hearing under our rules.”).

¹⁶² *PFS*, CLI-01-12, 53 NRC at 465-67.

¹⁶³ *Id.* at 465.

¹⁶⁴ *Id.* at 467 (emphasis omitted).

¹⁶⁵ *Id.* (emphasis added). See also *id.* at 470 (“The proper focus is on whether the exemption is necessary for the applicant to obtain an initial license or amend its license. Where the exemption thus is a direct part of an initial licensing or licensing amendment action, there is a potential that an interested party could raise an admissible contention on the exemption, triggering a right to a hearing under the AEA.”).

Based on this test, the Commission should deny Vermont's request for an adjudicatory hearing on Entergy's Exemption Request because, first, there is no existing LAR proceeding whose hearing opportunity might encompass the Exemption Request. Although Vermont seeks to tie its challenge to Entergy's Exemption Request with the opportunity for a hearing that was available on Entergy's LAR,¹⁶⁶ there is no longer an opportunity for a hearing on that LAR. The LAR was withdrawn and the hearing that had been granted with respect to the LAR was terminated.¹⁶⁷ Therefore, there is no licensing action on which Vermont's challenge to the Exemption Request can lie.

The Commission should also deny Vermont's request for an adjudicatory hearing on Entergy's Exemption Request because the Exemption Request does not directly affect the "licensability" of the applicant. This is demonstrated by the fact that the LAR could have been granted regardless of whether the Exemption Request had been granted.¹⁶⁸ If the LAR had been granted and the Exemption Request denied, Entergy would be relieved from the obligation to provide 30-day notice, although still be prohibited by the regulation from spending DTF money on spent fuel management. Thus, the circumstances at hand do not satisfy the Commission's "licensability" test for allowing a hearing on an exemption request based on an existing LAR.¹⁶⁹

¹⁶⁶ Petition for Review at 13.

¹⁶⁷ *Vermont Yankee*, LBP-15-28, 82 NRC at __ (slip op. at 14).

¹⁶⁸ See Tr. at 72-73.

¹⁶⁹ In LBP-15-24, the Board ruled that because "two of the granted exemptions are completely dependent on the LAR[.]" they are like the *PFS* exemptions and, therefore, both the license amendment and the exemption were within the scope of the proceeding. *Vermont Yankee*, LBP-15-24, 82 NRC at __ (slip op. at 15-16). The Staff maintains that the test for whether an exemption should be adjudicated with a related license amendment is whether the license amendment can go forward or be implemented without the exemption, not the whether the exemption requires the license amendment. The first proposition correctly states the *PFS* "licensability" test, the second does not.

Vermont argues, however, that the appropriate test is whether the Exemption Request is “directly related” to the LAR instead of whether the Exemption Request affects the “licensability” of the applicant.¹⁷⁰ Vermont cites to the Commission decision in *Honeywell* for this proposition.¹⁷¹ However, *Honeywell* relies on the “licensability” language of *PFS*.¹⁷² Additionally, the facts of *Honeywell* are easily distinguishable from this case. Here, Vermont submitted a license amendment request and, subsequently, an exemption request. In *Honeywell*, the exemption was submitted as a license amendment and thus, hearing rights would attached.¹⁷³ Thus, *Honeywell* does not support a hearing on the exemption here.

Vermont asserts that Entergy’s use of the decommissioning fund, particularly in light of the grant of the exemption, will result in a diminished DTF that has insufficient funds to accomplish decommissioning.¹⁷⁴ However, the Commission’s regulations are specifically structured so as to prevent the exhaustion of a DTF before the completion of radiological decommissioning. During decommissioning, licensees are required to annually recalculate and report to the NRC their estimated costs for completing decommissioning and for spent fuel storage and then compare these costs to the sum of the balance of the DTF, plus a 2% real rate of return.¹⁷⁵ If the costs are greater than the funds, then the licensee must provide additional financial assurance to cover the estimated cost of completion.¹⁷⁶ Further, the NRC has the authority to rescind an exemption, including the exemption allowing Entergy to make

¹⁷⁰ Petition for Review at 13.

¹⁷¹ *Id.*

¹⁷² *Honeywell*, CLI-13-1, 77 NRC at 10 n.37.

¹⁷³ *Honeywell* Metropolis Works (Docket No. 40-3392) – Request for Extension of Exemption from Decommissioning Financial Assurance Requirements Contained in License Condition 27 in SUB-526 on May 11, 2007 (Apr. 1, 2009 (ADAMS Accession No. ML090920087).

¹⁷⁴ Petition at 15.

¹⁷⁵ 10 C.F.R. § 50.82(a)(8)(v)-(vii).

¹⁷⁶ *Id.*

withdrawals from the VY DTF for certain spent fuel management expenses, at any time.¹⁷⁷

Because the Commission's regulations require an annual showing of a DTF's sufficiency during decommissioning and because the Commission has the ability to act to prevent any projected shortfall in a DTF, there is no need for a hearing to address Vermont's concern that Entergy will exhaust the VY DTF before radiological decommissioning is complete.

D. Vermont's Proffered Issues Do Not Trigger AEA § 189 Hearing Rights

Vermont asserts that the matters raised in its Petition are "license-related matters" that should be considered adjudications within the meaning of 5 U.S.C. § 551(7) of the Administrative Procedure Act (APA)¹⁷⁸ and trigger hearing rights under the APA and the AEA.¹⁷⁹ However, as discussed below, Vermont's Petition should be dismissed because none of these matters trigger hearing rights under AEA section 189a.

In its Petition for Review, Vermont requests a hearing for the Commission to review Entergy's withdrawals from the VY DTF and prohibit Entergy from making future withdrawals for expenses not meeting the NRC's definition of decommissioning.¹⁸⁰ However, neither licensee activities such as making withdrawals from the DTF nor NRC oversight and inspection of those activities conducted for the purpose of ensuring licensee compliance with existing requirements

¹⁷⁷ *Florida Power and Light Co.* (St. Lucie, Units 1 and 2), CLI-89-21, 30 NRC 325, 330 n.2 (1989).

¹⁷⁸ Vermont does not explain why these matters should qualify for a hearing under the APA and merely references APA § 551(7) which contains the definition of "adjudication." Specifically, § 551(7) states that "'adjudication' means agency process for the formulation of an order." Notably, Vermont does not cite to APA § 551(8) which contains the definition of "licensing" or to APA § 554 which contains the APA's provisions on adjudications. In any event, AEA § 189a provides the NRC's statutory authority regarding hearing requests related to licensing actions.

¹⁷⁹ Petition at 9, 11-12. Vermont uses the term "license-related" matter to assert that it is entitled to a hearing under the AEA. However, neither the AEA nor the Commission's regulations use this term. Moreover, none of Vermont's purported "license related" matters are related to the granting, suspending, revoking, or amending of a license which would trigger a hearing under § 189a.

¹⁸⁰ Petition at 8-9.

provides the opportunity for a hearing under the AEA.¹⁸¹ Instead, the appropriate means of seeking enforcement action against a licensee is through a petition under 10 C.F.R. § 2.206.¹⁸²

Vermont also requests a hearing to require Entergy to provide detail in its 30-day notices.¹⁸³ To the extent that Vermont argues that Entergy's current notices do not satisfy the requirement for these notices, which is provided for by license condition 3.J.a.(iii) of the VY operating license,¹⁸⁴ this is a challenge to the current operations of VY that is more appropriate under 10 C.F.R. § 2.206. Similarly, to the extent that this is a request that the Commission make license condition 3.J.a.(iii) more stringent, this too is more appropriate under § 2.206. Accordingly, the sufficiency of Entergy's 30-day notices do not trigger a hearing opportunity under the AEA § 189a.

Additionally, Vermont asks the Commission to hold a hearing to find Entergy's PSDAR and associated filings deficient.¹⁸⁵ However, the Commission's regulations provide that there is no opportunity for a hearing on PSDARs.¹⁸⁶ Instead, the Commission's regulations only provide an opportunity for the submission of public comments on PSDARs,¹⁸⁷ an opportunity of which

¹⁸¹ *St. Lucie*, CLI-14-11, 80 NRC at 174; *Fort Calhoun*, CLI-15-5, 81 NRC at 333.

¹⁸² *Diablo Canyon*, CLI-15-21, 82 NRC at ___ (slip op. at 17 n.69); *St. Lucie Plant*, CLI-14-11, 80 NRC at 176.

¹⁸³ Petition at 8-9. Upon granting Entergy's request to withdraw its LAR, the Board imposed a condition requiring Entergy to specify additional detail in its 30-day notices regarding whether the proposed disbursements include expenses for the following: (1) a \$5 million payment to Vermont as part of a settlement agreement; (2) emergency preparedness costs; (3) shipments of non-radiological asbestos waste; (4) insurance; (5) property taxes; and (6) replacement of structures related to dry cask storage, such as a bituminous roof. In addition, the Board required Entergy to report the disbursement of DTF money to pay "legal costs that were the factual basis of Contention 1." *Vermont Yankee*, LBP-15-28, 82 NRC at ___ (slip op. at 2, 11-12).

¹⁸⁴ See Entergy Nuclear Vermont Yankee, LLC and Entergy Nuclear Operations, Inc. (Vermont Yankee Nuclear Power Station), Docket No. 50-271, Renewed Facility Operating License, Renewed Operating License No. DPR-28, at 7-8 (Mar. 21, 2011) (ADAMS Accession No. ML052720265) (providing "Decommissioning Trust" license conditions at 3.J).

¹⁸⁵ Petition for Review at 8-9, 35-47.

¹⁸⁶ 10 C.F.R. § 50.82(a)(4).

¹⁸⁷ 10 C.F.R. § 50.82(a)(4)(ii).

Vermont has already availed itself.¹⁸⁸ Therefore, Vermont is not entitled to a hearing under AEA § 189a with respect to the sufficiency of Entergy's PSDAR.

Vermont also asks the Commission to hold a hearing to undertake a NEPA review with respect to Entergy's withdrawals from the VY DTF.¹⁸⁹ However, as explained in further detail below,¹⁹⁰ Vermont's argument that the NRC should conduct a NEPA analysis of the entire decommissioning process at VY from permanent shut down to termination of the VY license, is directly contrary to the Commission's decommissioning regulations. Indeed, these regulations were specifically amended in 1996, in part, so as not to require a licensing action and to eliminate the need for a licensee to submit a supplemental environmental report at this stage of the decommissioning process.¹⁹¹ Because there is no licensing action required at this stage of decommissioning, there is no action requiring a NEPA review. An environmental analysis and safety evaluation will be performed at the LTP stage of decommissioning.¹⁹² If Vermont believes that the NRC's current decommissioning regulations should be changed, Vermont may file a 10 C.F.R. § 2.802 petition for rulemaking.¹⁹³

Moreover, the right of interested persons to intervene as a party in a licensing proceeding stems from AEA § 189a, not from NEPA.¹⁹⁴ Therefore, Vermont's NEPA arguments are not subject to an adjudicatory hearing before the Commission because there is no proceeding regarding any licensing action that would trigger a hearing right under AEA § 189a.

¹⁸⁸ See Petition for Review at Exhibit 2.

¹⁸⁹ Petition for Review at 9, 50-56.

¹⁹⁰ See *infra*, section V. A.

¹⁹¹ 10 C.F.R. § 50.82(a)(4)(i); 61 Fed. Reg. at 39,281, 39,283-84.

¹⁹² 10 C.F.R. § 50.82(a)(9)-(10).

¹⁹³ 80 Fed. Reg. 72,358, 72,368-69.

¹⁹⁴ *Private Fuel Storage, L.L.C.* (Independent Spent Fuel Storage Installation), CLI-01-1, 53 NRC 1, 6 (2001) (citing AEA § 189).

Likewise, to the extent Vermont challenges the NEPA analysis that supported the grant of the Exemption Request, Vermont's arguments are not subject to an adjudicatory hearing because Vermont does not have a right to a hearing on the Exemption Request under section 189a. of the AEA.

Vermont also argues that the Commission has interlocutory authority "to address matters pending before an ASLB, and appellate authority over decisions of the Board."¹⁹⁵ However, there are no matters currently pending before the ASLB. As explained above, the Board granted Vermont's hearing request on Entergy's LAR regarding the VY DTF, but subsequently terminated the proceeding after granting Entergy's request to withdraw its LAR.¹⁹⁶ Vermont's Petition states that the parties are still within the appeal period to ask for review of the Board's decision granting Entergy's withdrawal.¹⁹⁷ However, the time to appeal both decisions issued by the Board has passed and no appeals were filed.¹⁹⁸ The only filing pending before the Commission is a Motion to Vacate filed by the NRC Staff asking that LBP-15-24 be vacated as moot.¹⁹⁹ Vermont asserts that the Motion to Vacate, any appeal of LBP-15-28, as well as the new issues it raises in its Petition should be reviewed together in a comprehensive proceeding.²⁰⁰ However, as explained above, Vermont raises no issues that trigger hearing

¹⁹⁵ Petition at 9.

¹⁹⁶ *Vermont Yankee*, LBP-15-28, 82 NRC at __ (slip op. at 1).

¹⁹⁷ Petition at 9, 14.

¹⁹⁸ Appeals for LBP-15-24 were due on October 26, 2015. See unpublished Order of the Secretary (Granting Request for Extension) (Sept. 24, 2015) (ADAMS Accession No. ML15267A839) (providing that any party may appeal LBP-15-24 within ten days after the Board's ruling on Entergy's Motion to Withdraw). None of the parties filed an appeal of LBP-15-24. Instead, the Staff filed a Motion to Vacate LBP-15-24 because there is no outstanding controversy, rendering any proposed appellate challenge to LBP-15-24 moot. See *generally* NRC Staff Motion to Vacate. Appeals for LBP-15-28 were due on November 9, 2015; however, none of the parties appealed that decision.

¹⁹⁹ See *generally* NRC Staff Motion to Vacate.

²⁰⁰ Petition at 14, 48.

rights under the AEA, and its Petition is procedurally improper. Thus, its Petition should be dismissed and the Motion to Vacate should be decided separately.

For the reasons discussed above, Vermont's Petition should be dismissed in its entirety because there are no license-related matters to trigger hearing rights under AEA § 189a. Instead, the Commission should direct Vermont to those avenues specifically provided for in the Commission's regulations to address the concerns raised in the Petition for Review, such as the 10 C.F.R. § 2.206 request for agency action and the 10 C.F.R. § 2.802 petition for rulemaking processes.

E. Vermont's Petition Should Be Denied Because It Does Not Meet the Commission's Contention Admissibility Standards in 10 C.F.R. § 2.309

Even if the issues raised in Vermont's Petition for Review were subject to an opportunity for a hearing, Vermont's Petition for Review, a filing not contemplated by NRC regulations, fails to address the NRC's contention admissibility standards in § 2.309(f) or specify any contentions for litigation in a hearing.²⁰¹ This is contrary to § 2.309(a) which requires all hearing requests to specify "the contentions which the person seeks to have litigated in the hearing."²⁰²

Pursuant to 10 C.F.R. § 2.309(f)(1)(v), a proposed contention must be rejected if it does not provide a concise statement of the facts or expert opinions that support the proposed contention together with references to specific sources and documents. Mere speculation and

²⁰¹ The only reference to 10 C.F.R. Part 2 in Vermont's Petition for Review is a citation to 10 C.F.R. § 2.104, "Notice of hearing," but Vermont provides no explanation as to why it is referencing § 2.104 or how it is applicable. Petition at 10-11. Vermont's attachment at Exhibit 2, which contains its March 6, 2015 comments on Entergy's PSDAR, argues that under § 2.104 the NRC should "find[] that a hearing is required in the public interest" and provide a full adjudicatory hearing. However, Vermont does not make this argument in its Petition for Review and the Commission discourages incorporating pleadings or arguments by reference and expects briefs to be "comprehensive, concise, and self-contained." *Entergy Nuclear Generation Co. (Pilgrim Nuclear Power Station)*, CLI-12-3, 75 NRC 132, 139 n.41 (2012) (citations omitted). In any event, this argument should not be considered because section 2.104 simply pertains to a notices for hearing and, as explained above, Vermont has not met the criteria for a discretionary hearing.

²⁰² 10 C.F.R. § 2.309(a).

bare or conclusory assertions, even by an expert, will not suffice to allow the admission of a proposed contention.²⁰³ As the Commission has explained, the contention admissibility standards are intended to “focus litigation on concrete issues” so that all parties will be relieved of the burden of having to develop evidence and prepare a case to address possibly wide-ranging, vague, undefined issues.²⁰⁴

Vermont’s Petition, however, raises a number of issues that are unsupported and vague regarding the sufficiency of the DTF, the extent and cost of radiological decontamination, the economic impact of Entergy’s use of the DTF, and the ramifications of spent fuel pool storage.²⁰⁵ These issues would not support contention admissibility even if a hearing opportunity were in order.

Vermont asserts that the DTF will not be sufficient to pay for decommissioning because of the withdrawals Entergy has made and proposes to make. It asserts “[i]n all likelihood, spent fuel management expenses will greatly exceed Entergy’s estimate of \$225.5 million, since that estimate is predicated on the assumption that all spent fuel will be removed from the site by 2052”;²⁰⁶ but proffers no calculation of the spent fuel management expenses that it asserts Entergy will incur. It states that Entergy has no basis for its assumptions regarding the amount of its tax obligations at the state and local level,²⁰⁷ and does not itself provide any basis for its suggestion that those obligations will be greater than Entergy’s projections. It asserts that

²⁰³ See *USEC Inc. (American Centrifuge Plant)*, CLI-06-10, 63 NRC 451, 472 (2006); *Fansteel, Inc. (Muskogee, Oklahoma Site)*, CLI-03-13, 58 NRC 195, 203 (2003).

²⁰⁴ 69 Fed. Reg. at 2,188, 2,202.

²⁰⁵ While the Commission has made it clear that it disfavors the incorporation of pleadings and arguments by reference, Vermont appended several documents to its Petition as exhibits and raises numerous and disparate issues in those documents, some of which it has repeated in its Petition. Given the number and scope of the issues raised in the exhibits, the Staff has confined its analysis to the issues raised in the Petition.

²⁰⁶ Petition at 43.

²⁰⁷ *Id.* at 41.

Entergy has not accounted for how it will pay for employee pension fund liabilities.²⁰⁸ However, Vermont has not established the necessary predicate – that Entergy plans to use the DTF to address those liabilities or that Entergy and its subsidiaries and parent company will be financially incapable of meeting those obligations without using DTF money.

Vermont asserts that Entergy has failed to account for increased costs associated with strontium 90 contamination,²⁰⁹ but does not explain how the low level of that contamination will require increased remediation and does not provide its own calculation of the increased costs associated with remediation. Citing radiological contamination at Maine Yankee, Connecticut Yankee, Yankee Rowe, and possible contamination at San Onofre facilities, Vermont states that decontamination costs will probably exceed Entergy's current projections.²¹⁰ However, these arguments are speculative vis-à-vis VY and insufficient to support Vermont's assertion of increased decontamination costs.²¹¹

²⁰⁸ *Id.* at 40.

²⁰⁹ *Id.* at 23, 36-37. While Vermont submits the Declaration of William Irwin, the Vermont Radiological and Toxicological Sciences Program Chief, in support of its argument, that declaration itself contains speculation and unsupported conclusory statements.

²¹⁰ Petition at 38-40.

²¹¹ Vermont states that, in August 2014, strontium-90 was detected at below EPA limits in samples from monitoring wells on the VY site and concludes that more soil will have to be excavated at VY than the amount currently accounted for in the VY PSDAR and that this will increase the cost of decommissioning VY to the point such that the VY DTF may no longer provide adequate financial assurance. Petition at 36-38. Vermont, however, does not explain how it reached the conclusion that more soil will have to be excavated. In fact, without further explanation, it would appear that the detection of strontium-90 cited by Vermont would have no such effect. This is because the amount of strontium-90 detected was already below EPA limits and Vermont provides no reason to believe that the concentration of strontium-90 will increase above EPA limits. Vermont Department of Health Communications Office, *Strontium-90 Detected in Ground Water Monitoring Wells at Vermont Yankee* (Feb. 9, 2015), available at http://healthvermont.gov/news/2015/020915_vy_strontium90.aspx. On the contrary, strontium-90 is produced by nuclear fission, but nuclear fission is no longer occurring at VY and, thus, there are no additional sources of strontium-90 at VY. U.S. Spent Nuclear Fuel Storage, Congressional Research Service, J.D. Werner, May 24, 2012, p. 10 n.60 (ADAMS Accession No. ML14142A043). Further, since strontium-90 has a half-life of 29 years, its concentration will decrease even further below EPA limits by the time soil remediation is scheduled to occur –i.e., by 2072, or 58 years after the detection of strontium-90 that is cited by Vermont. *Id.* Thus, Vermont has not sufficiently supported its conclusion and, as the Commission has noted, such unsupported arguments, even when made by an expert, are not sufficient.

Vermont argues that Entergy's use of the DTF may result in a shortfall and suggests that the NRC will not pursue Entergy on the shortfall and that, as a result, the economic effect on Vermont taxpayers will be substantial.²¹² On its face, Vermont argument is speculative; it is also unsupported. While it notes that the NRC has stated, emphatically, that it will pursue Entergy if there is a shortfall, Vermont points to the NRC's cancellation of an Entergy parent company guarantee as a "mixed signal" on the part of the agency as to its willingness to pursue Entergy. As explained, *supra*, n.128, the Staff's cancellation of the parent company guarantee was proper. It does not constitute a mixed signal regarding the NRC's commitment to pursue violations of its regulations.

In its Petition, Vermont also argues that the exemption provides "a dangerous incentive for owners of nuclear power plants to defer [spent fuel management expenses] until after plant closure."²¹³ Vermont fails to explain how the exemption creates this incentive and its argument is vague.

As these examples demonstrate, Vermont's Petition, in essence, is precisely the type of filing the Commission's contention admissibility standards were designed to avoid. Vermont's Petition circumvents the Commission's well-established Part 2 requirements for clear, well-supported, specific contentions, and, therefore, these issues would not support contention admissibility even if a hearing were appropriate here.

IV. The Petition Raises Issues That Should Be Addressed in Accordance with 10 C.F.R. § 2.206 and 10 C.F.R. § 2.802.

A. Master Trust Agreement

Vermont argues that Entergy has in the past or will in the future violate the Commission's regulations, the VY operating license, and the Master Decommissioning Trust

²¹² Petition at 16-17.

²¹³ Petition at 42.

Agreement (MTA) between Entergy and Mellon Bank, N.A., by making withdrawals from the VY DTF for non-decommissioning activities.²¹⁴ In essence, Vermont is requesting that the NRC take enforcement action against Entergy for operating VY in violation of its licensing basis. However, as the Commission has repeatedly, and recently, explained, the proper avenue for such a request is the 10 C.F.R. § 2.206 request for agency action process.²¹⁵

Vermont's concerns related to the Master Trust Agreement consist of assertions that the decommissioning trust funds are being used in contravention of NRC regulations, Federal Energy Regulatory Commission (FERC) regulations, rulings of the Vermont Public Service Board, and the provisions of the Master Trust Agreement, itself. Because Vermont is alleging regulatory violations, Vermont's proper course of action is to file a petition under 10 C.F.R. § 2.206.²¹⁶ As the 7th Circuit recognized in *dicta* in *Pennington*, the NRC is "the designated policeman of decommissioners" and "[a]nyone can complain to the commission about such fraud or waste[.]"²¹⁷ When the NRC functions as that "policeman", it does so through its enforcement process, not through the adjudicatory hearing that Vermont seeks in the instant Petition.

²¹⁴ Petition at 18-29.

²¹⁵ See, e.g., *Diablo Canyon*, CLI-15-21, 82 NRC __ (slip op. at 17 n.69) ("[C]ontrary to [the petitioner's] view . . . the [10 C.F.R. §] 2.206 process is designed for bringing just such a challenge regarding a licensee's current operation under its existing license.").

²¹⁶ *Florida Power and Light Co.* (St. Lucie Plant, Unit 2), CLI-14-11, 80 NRC 167, 174 (stating that "neither licensee activities nor NRC inspection of (or inquiry about) those activities provides the opportunity for a hearing under the AEA because those activities only concern compliance with the terms of an existing license" and that the appropriate means to request enforcement action is through a petition under 10 C.F.R. § 2.206). The Commission may, of course, refer a matter for action under § 2.206. *Southern California Edison Co.* (San Onofre Nuclear Generating Station, Units 2 and 3), CLI-12-20, 76 NRC 437, 439-40 (2012) (referring asserted violation of 10 C.F.R. § 50.59 to the Executive Director for Operations for enforcement action pursuant to 10 C.F.R. § 2.206).

²¹⁷ *Pennington v. ZionSolutions LLC*, 742 F.3d 715, 719 (7th Cir. 2014), *rehearing and rehearing en banc denied* (February 28, 2014). The Circuit Court held that electricity customers who had an interest in the remainder of the decommissioning trust fund were not beneficiaries of the trust and could not sue for misuse of trust funds.

Vermont's raises three concerns regarding Entergy's use of the Decommissioning Trust, all of which stem from some claim of violation or impropriety. In addition, some of Vermont's arguments are misplaced or mis-state the law. They are addressed individually as follows.

First, Vermont asserts that the Master Trust Agreement prohibits use of the Decommissioning Trust Fund for non-decommissioning expenses²¹⁸ and that NRC regulations at 10 C.F.R. § 50.75(f)(1) and (2) require Entergy to comply with the Master Trust Agreement,²¹⁹ and that Entergy is violating the provisions of its license.²²⁰ Vermont argues that the NRC conditioned its approval of Entergy's purchase of VY on Entergy's establishment of, and compliance with, the Master Trust Agreement.²²¹ Assertions of regulatory violation and non-compliance with license provisions are, by their nature, appropriate for resolution through the 2.206 petition process.

The regulations at 10 C.F.R. § 50.75(f)(1) and (2) that Vermont cites do not, however, require compliance with the Master Trust Agreement; they simply require licensees to report on the status of decommissioning funding.²²² Furthermore, the NRC did not condition its approval of the VY purchase as Vermont asserts. While it is true that the NRC required that certain provisions regarding the operation of the decommissioning trust fund be included in the Master Trust Agreement,²²³ those provisions are not the provisions that Vermont asserts Entergy is violating.

²¹⁸ Petition at 25-29

²¹⁹ *Id.* at 24.

²²⁰ *Id.* at 25.

²²¹ *Id.* at 23-24. Vermont also asserts that the Vermont Public Service Board similarly conditioned its approval of the sale. *Id.* Whether or not this assertion is correct is not cognizable in this forum.

²²² 10 C.F.R. § 50.75(f)(1) and (2).

²²³ The provisions that VY License Condition 3.J requires in the Master Trust agreement are as follows: (1) a requirement that the agreement be in a form acceptable to the NRC; (2) that it prohibit the investment of trust funds in the nuclear industry; (3) that it provide that no disbursement other than for administrative expenses of the trust can be made until the trustee has given 30 days written notice to the NRC and not received a written notice of objection; (4) that material amendment of agreement requires

Vermont asserts, instead, that Entergy is violating two other provisions in the Master Trust Agreement. The first provision requires that radiological decontamination and decommissioning be complete before trust funds can be used for spent fuel management costs and site restoration.²²⁴ The second provision, Vermont asserts, restricts Entergy from using decommissioning trust funds to pay for spent fuel management expenses that it has or will recover from the Department of Energy.²²⁵ Vermont's complaint that Entergy is violating provisions of the Master Trust Agreement should be pursued in accordance with the provisions of 10 C.F.R. § 2.206 process.²²⁶

The second concern that Vermont raises relates to FERC regulations. Vermont asserts that use of the trust funds to pay for non-decommissioning expenses is contrary to FERC regulations.²²⁷ It also argues that FERC regulations provide that only after decommissioning is complete may a licensee use trust funds to pay for any other purpose.²²⁸ Finally, it asserts that Entergy's use of the trust funds is at variance with FERC's approval of Entergy's purchase of VY.²²⁹ To the extent that Vermont is asking the NRC to enforce FERC regulations, its request is misplaced. Vermont cites no legal authority to support an NRC action to enforce the regulatory

30 days prior written notification to the Director of the Office of Nuclear Reactor Regulation; and (5) that the trustee to adhere to the "prudent investor" standard. These are not the provisions of the Master Trust Agreement that Vermont asserts Entergy is violating.

²²⁴ Petition at 27-28.

²²⁵ *Id.* at 28-29, 34-35, 41.

²²⁶ In any event, Vermont can pursue its claims on both of these issues in State court. The provisions in the Master Trust Agreement regarding the sequence of payments and reimbursement from DOE are also reflected in Paragraphs 7-9 and 11(a) of the December 2013 Settlement Agreement between Entergy and the Vermont Public Service Department, the Vermont Agency of Natural Resources, and the Vermont Department of Health (ADAMS Accession No. ML14357A110). Paragraph 26 of the Settlement Agreement provides that "the courts of the State of Vermont shall be an available venue for enforcement of any disputes arising under this Agreement." Thus, Vermont has the option of suing on these issues in state court.

²²⁷ Petition at 25.

²²⁸ *Id.* at 30.

²²⁹ *Id.* at 30-31.

provisions of another federal agency and FERC itself has statutory authority to enforce its own regulations.²³⁰

Finally, Vermont asserts that Entergy cannot pay spent fuel management expenses from the decommissioning trust fund unless it amends the Master Trust Agreement and that as it has not amended the agreement, it is in violation of NRC regulations and its own license provisions.²³¹ To the extent that Vermont takes the position that Entergy is in violation of the regulations or its license, then it is raising classic enforcement issues which should be pursued under 10 C.F.R. § 2.206.

Thus, Vermont's concerns would not be appropriate for an adjudicatory hearing even if they were not subject to the errors identified above.

B. There is No Hearing Opportunity on the PSDAR.

Vermont also requests a hearing on the VY PSDAR.²³² The Commission's decommissioning regulations, however, provide that there is no opportunity for a hearing on a licensee's PSDAR.²³³ Therefore, Vermont's request for a hearing on the VY PSDAR is a challenge to the Commission's rules that prohibit exactly such a hearing. Consequently, the Commission should not entertain Vermont's challenge to the PSDAR rule. Instead, the

²³⁰ Federal Power Act, §§ 314 through 316A, 16 U.S.C. §§ 825M through 325O-1.

²³¹ Petition at 25-26.

²³² Petition for Review at 8-9.

²³³ See 61 Fed. Reg. at 39,278-79 (“[I]nitial decommissioning activities (dismantlement) are not significantly different from routine operational activities such as replacement or refurbishment. Because of the framework of regulatory provisions embodied in the licensing basis for the facility, these activities do not present significant safety issues for which an NRC decision would be warranted. Therefore, it is appropriate that the licensee be permitted to conduct these activities without the need for a license amendment. However, the information meetings will be beneficial in keeping the public informed of the licensee's decommissioning activities. Although the primary purpose of these meetings is to inform the public of the licensee's planned activities, the NRC will consider public health and safety comments raised by the public during the 90-day period before the licensee undertakes decommissioning activities.”).

Commission should direct Vermont to submit its concerns with the PSDAR process as a 10 C.F.R. § 2.802 petition for rulemaking.²³⁴

The Commission's current decommissioning regulations were developed through the rulemaking process specifically to streamline the decommissioning process.²³⁵ Before the rule change, a licensee was required to submit a detailed decommissioning plan to the NRC for approval, along with a supplemental environmental report.²³⁶ This process gave rise to an opportunity for a hearing.²³⁷

In its 1996 rulemaking, however, the Commission determined that this process of requiring an amendment to the licensee's operating license before the licensee could perform major decommissioning activities was unnecessarily complex and rigid because "the activities performed by the licensee during decommissioning do not have a significant potential to impact public health and safety and . . . require considerably less oversight by the NRC than during power operations."²³⁸ Thus, instead of requiring an affirmative change to an operating license before the licensee could conduct major decommissioning activities such as dismantlement, the Commission determined that these activities could be done under the licensee's existing operating license as part of the 10 C.F.R. § 50.59 change process and, thus, no change to the license was required.²³⁹ The Commission required the submission of a PSDAR before the

²³⁴ Vermont could, of course, submit its concerns as comments on the effort currently being undertaken by the Staff to revise the Commission's decommissioning regulations. See 80 Fed. Reg. at 72,358.

²³⁵ 61 Fed. Reg. at 39,281.

²³⁶ *Id.* at 39,278.

²³⁷ *Id.* at 39,278.

²³⁸ *Id.* at 39,278-79.

²³⁹ *Id.* at 39,279 ("Based on NRC experience with licensee decommissioning activities, the Commission recognized that the [10 C.F.R.] § 50.59 process used by the licensee during reactor operations encompassed routine activities that are similar to those undertaken during the decommissioning process.").

performance of these activities, not so that it could affirmatively approve of these activities, which would presumably be permitted under 10 C.F.R. § 50.59 without prior Commission approval, but so that the NRC and the public would be aware of the licensee's plans to use the 10 C.F.R. § 50.59 process and, thus, could properly oversee the licensee's adherence to 10 C.F.R. § 50.59 and the Commission's decommissioning regulations.²⁴⁰ Since the PSDAR is an informational submission that does not require NRC licensing approval, it does not give rise to an opportunity for a hearing like the previously-required submission of a decommissioning plan did.²⁴¹

Now, almost twenty years after the rulemaking that established that the PSDAR is not subject to a hearing, Vermont is requesting a hearing on the particulars of the VY PSDAR. Pursuant to 10 C.F.R. § 2.335, such a direct challenge to the Commission's regulations is not permitted. Vermont's assertion of a right to a hearing on the VY PSDAR constitutes a challenge to the decommissioning regulations and, as such, should be pursued in rulemaking in accordance with 10 C.F.R. § 2.802.

Vermont also faults the VY PSDAR for not taking into consideration the possibility of the indefinite storage of spent fuel at VY.²⁴² This is also an impermissible challenge to the Commission's decommissioning regulations, which require that decommissioning be completed

²⁴⁰ *Id.* at 39,279-80 ("A PSDAR would be submitted to the NRC that would contain a schedule of planned decommissioning activities and provide a mechanism for timely NRC oversight."); *id.* at 39,281 ("The purpose of the PSDAR is to provide a general overview for the public and the NRC of the licensee's proposed decommissioning activities [It] is part of the mechanism for informing and being responsive to the public prior to any significant decommissioning activities taking place. It also serves to inform and alert the NRC staff to the schedule of licensee activities for inspection planning purposes and for decisions regarding NRC oversight activities."); *id.* at 39,283 (one of the primary goals of the PSDAR process . . . is to promote public knowledge and provide an opportunity to hear public views on decommissioning activities before licensees commence decommissioning.").

²⁴¹ *Id.* at 39,279-80.

²⁴² Petition for Review at 42-47.

within 60 years.²⁴³ Consistent with these regulations, any estimate of decommissioning costs must project the completion of decommissioning within 60 years. Vermont cannot advocate in an adjudicatory hearing for a requirement that Entergy consider costs beyond this 60-year time period.²⁴⁴ This argument may only be proffered as a 10 C.F.R. § 2.802 petition for rulemaking.²⁴⁵

Finally, Vermont argues that, because Entergy has been granted an exemption to withdraw funds from the VY DTF for certain spent fuel management expenses, its access to the DTF for this purpose will be effectively “unlimited” such that, if Entergy’s projections of spent fuel pickup by the Department of Energy are not realized, the DTF will be exhausted by spent fuel management expenses before radiological decommissioning can be completed.²⁴⁶ However, the Commission’s regulations are specifically structured so as to prevent this scenario. During decommissioning, licensees are required to annually recalculate and report to the NRC their estimated costs for completing decommissioning and for spent fuel storage and then compare these costs to the sum of the balance of the DTF, plus a 2% real rate of return.²⁴⁷ If the costs are greater than the funds, then the licensee must provide additional financial assurance to cover the estimated cost of completion.²⁴⁸ Further, the NRC has the authority to rescind an

²⁴³ 10 C.F.R. § 50.82(a)(3) (“Decommissioning will be completed within 60 years of permanent cessation of operations.”).

²⁴⁴ See, e.g., *Vermont Yankee*, LBP-15-4, 81 NRC at ___ (slip op. at 12-13) (stating that a contention that seeks to impose a requirement more stringent than that required by the regulations is an impermissible collateral attack on the regulations in derogation of 10 C.F.R. § 2.335(a) and must be rejected as inadmissible) (citing *Calvert Cliffs 3 Nuclear Project, LLC & Unistar Nuclear Operating Services, LLC* (Calvert Cliffs Nuclear Power Plant, Unit 3), CLI-14-08, 80 NRC ___, ___ n.27 (slip op. at 9 n.27) (Aug. 26, 2014); *NextEra Energy Seabrook, LLC* (Seabrook Station, Unit 1), CLI-12-5, 75 NRC 301, 315 (2012); *GPU Nuclear, Inc.* (Oyster Creek Nuclear Generating Station), CLI-00-6, 51 NRC 193, 206 (2000); *Curators of the Univ. of Missouri*, CLI-95-1, 41 NRC 71, 170 (1995)).

²⁴⁵ See, e.g., *Diablo Canyon*, CLI-15-21, 82 NRC at ___ (slip op. at 17 n.69).

²⁴⁶ Petition for Review at 42-47.

²⁴⁷ 10 C.F.R. § 50.82(a)(8)(v)-(vii).

²⁴⁸ *Id.*

exemption, including the exemption allowing Entergy to make withdrawals from the VY DTF for certain spent fuel management expenses, at any time.²⁴⁹ Therefore, because of the Commission's regulations requiring an annual showing of a DTF's sufficiency during decommissioning and because of the Commission's ability to act to prevent any projected shortfall in a DTF, Vermont's concern that Entergy will exhaust the VY DTF through spent fuel management costs is without merit.

V. Vermont's NEPA Arguments Are Both Procedurally and Substantively Flawed.

A. Vermont's NEPA Arguments Are Impermissible Challenges to the Commission's Decommissioning Rule.

Vermont requests that the NRC conduct a NEPA analysis of the entire decommissioning process at VY now that it has permanently ceased operations.²⁵⁰ However, the Commission's decommissioning regulations specifically provide that no such NEPA analysis is required upon a facility's permanent cessation of operations because decommissioning is conducted according to the licensee's operating license and does not involve a license amendment or other affirmative NRC action that would warrant a NEPA analysis beyond those that had already been performed in support of the issuance of the operating license and the decommissioning rules themselves. Therefore, Vermont's NEPA arguments amount to impermissible challenges to the Commission's decommissioning rules and, consistent with 10 C.F.R. § 2.335, may not be entertained in an adjudicatory hearing before the Commission.

By arguing that a "comprehensive" environmental analysis is required at the PSDAR-stage of decommissioning,²⁵¹ Vermont is essentially arguing against the Commission's current decommissioning regulation at 10 C.F.R. § 50.82, which was promulgated by a 1996

²⁴⁹ *St. Lucie*, CLI-89-21, 30 NRC at 330 n.2.

²⁵⁰ Petition for Review at 50-56.

²⁵¹ Petition for Review at 54.

rulemaking.²⁵² As already discussed above, in 1996, the Commission determined that decommissioning could be conducted under a licensee's existing operating license pursuant to the 10 C.F.R. § 50.59 change process and the Commission's regulations at 10 C.F.R. § 50.82. As a result of this rulemaking, since a licensee's performance of major decommissioning activities is done under its existing license and the Commission's existing regulations at 10 C.F.R. § 50.59 and 10 C.F.R. § 50.82, these major decommissioning activities no longer require the licensee to obtain additional authority from the NRC and, thus, no longer require an NRC licensing action and NEPA analysis.

During the 1996 rulemaking, the NRC received comments regarding its creation of a PSDAR with "no mandatory [environmental report] or subsequent [environmental assessment] requirements."²⁵³ Some commenters "believed that the NRC should define decommissioning as a major Federal action requiring an EA or EIS."²⁵⁴ The Commission, though, responded that, no environmental analysis was required at the PSDAR stage because "the final rule prohibits major decommissioning activities that could result in significant environmental impacts not previously reviewed."²⁵⁵ Further, the NRC conducted an environmental assessment of the rulemaking itself and determined that, "insofar as the rule would allow major decommissioning activities (dismantlement) to proceed without an environmental assessment, application of the rule will not have a significant impact on the environment."²⁵⁶ Therefore, although the rule requires licensees to indicate in their PSDARs the reasons for concluding that the planned activities are bounded by previous EISs, the Commission concluded that this is not required by NEPA and is,

²⁵² *Id.* at 28-29. See 61 Fed. Reg. 39,278.

²⁵³ 61 Fed. Reg. at 39, 283.

²⁵⁴ *Id.*

²⁵⁵ *Id.*

²⁵⁶ *Id.*

instead, intended to “promote public knowledge and provide an opportunity to hear public views on decommissioning activities before licensees commence decommissioning.”²⁵⁷ The Commission concluded that a NEPA analysis was only required as part of its review of the LTP.²⁵⁸

Through its request for a comprehensive NEPA analysis at the PSDAR-stage of decommissioning, Vermont is essentially, challenging the Commission’s existing decommissioning regulations. However, the Commission determined that there was no need for an environmental review at this stage of the decommission process and that the appropriate time to perform an environmental analysis and safety evaluation was at the LTP stage of decommissioning.²⁵⁹ The Commission determined that this was appropriate because “the final disposition of the site is determined at that time.”²⁶⁰ If Vermont would like to change the existing rule, Vermont can file a petition for rulemaking under 10 C.F.R. § 2.802.²⁶¹

B. No Further NEPA Analysis Is Required for Entergy’s Planned Withdrawals From its Decommissioning Trust Fund.

1. NEPA Requirements for Major Federal Actions

Section 102 of the National Environmental Policy Act of 1969, as amended, 42 U.S.C. § 4321 *et seq.*, requires, in pertinent part, that Federal agencies are to include in every recommendation or report on major Federal actions that significantly affect the quality of the human environment, a detailed statement on (a) “the environmental impact of the proposed

²⁵⁷ *Id.*

²⁵⁸ *Id.* at 39,284.

²⁵⁹ 10 C.F.R. § 50.82(a)(9)-(10).

²⁶⁰ 61 Fed. Reg. at 39,284.

²⁶¹ The Leshinskie Declaration also faults the PSDAR for its reliance on the Commission’s Continued Storage Rule. Leshinskie Declaration at 2-3. This comment on the PSDAR is both beyond the scope of this proceeding, which concerns a distinct LAR and not the PSDAR, and an inadmissible challenge to a commission rule.

action,” (b) “any adverse environmental effects which cannot be avoided should the proposal be implemented,” (c) “alternatives to the proposed action,” (d) “the relationship between local short-term uses of man's environment and the maintenance and enhancement of long-term productivity,” and (e) “any irreversible and irretrievable commitments of resources which would be involved in the proposed action should it be implemented.” It is well-established that NEPA requires federal agencies to take a “hard look” at the environmental impacts of major federal actions.²⁶² Inherent in NEPA and its implementing regulations is a “rule of reason,” which ensures that agencies determine whether and to what extent to prepare an environmental impact statement (EIS) based on the usefulness of any new potential information to the decisionmaking process.²⁶³

NEPA seeks to ensure that the agency will “consider every significant aspect of the environmental impact of a proposed action,” and will “inform the public that it has considered environmental concerns in its decisionmaking process.”²⁶⁴ The Commission’s regulations in 10 C.F.R. Part 51 establish the procedures by which the agency implements and satisfies the requirements of NEPA, for a broad range of NRC regulatory and licensing activities.²⁶⁵ Section 51.20 identifies the criteria for and identification of licensing and regulatory actions that the NRC has identified as requiring EISs. Specifically, 10 C.F.R. § 51.20(a) states that licensing and regulatory actions requiring an EIS shall meet at least one of the following criteria:

- (1) The proposed action is a major Federal action significantly affecting the quality of the human environment.

²⁶² *Robertson v. Methow Valley Citizens Council*, 490 U.S. 332, 350 (1989); accord, *Commonwealth of Massachusetts v. NRC*, 708 F.3d 63, 67 (1st Cir. 2013).

²⁶³ See, e.g., *Dept. of Transportation v. Public Citizen*, 541 U.S. 752, 754 (2004).

²⁶⁴ *Commonwealth of Massachusetts v. NRC*, 708 F.3d at 67, quoting *Baltimore Gas & Elec. Co. v. Natural Resources Defense Council, Inc.*, 462 U.S. 87, 97 (1983) (internal quotation marks and citations omitted); accord, *N.J. Dep’t of Environmental Protection v. NRC*, 561 F.3d 132, 134 (3d Cir. 2009).

²⁶⁵ See 10 C.F.R. § 51.2.

(2) The proposed action involves a matter which the Commission, in the exercise of its discretion, has determined should be covered by an environmental impact statement.

Section 51.20(b) specifies several actions which the Commission has determined constitute a major Federal action or otherwise require an EIS such as issuance of a limited work authorization or a permit to construct a nuclear power plant, issuance of a renewed license to operate a nuclear power plant. Further, 10 C.F.R. § 51.20(b)(14) includes as requiring an EIS “Any other action which the Commission determines is a major Commission action significantly affecting the quality of the human environment.”

The NRC has evaluated the environmental impacts of power reactor decommissioning on a generic basis in NUREG-0586, Supplement 1, “Generic Environmental Impact Statement on Decommissioning of Nuclear Facilities,” dated November 2002 (Decommissioning GEIS).²⁶⁶ The PSDAR must include a discussion of reasons supporting the conclusion “that site-specific decommissioning activities will be bounded by appropriate previously issued environmental impact statements.”²⁶⁷ NRC regulations do not require a licensee to submit an environmental

²⁶⁶ GEIS, Supplement 1, is available at ADAMS Accession Nos. ML023470304, ML023470323, ML023500187, ML023500211, ML023500223. Supplement 1 updates the August 1988 NUREG-0586 to reflect technological advances in decommissioning operations, experience gained by licensees, and changes made to NRC regulations. The Supplement is intended to be used to evaluate environmental impacts during the decommissioning of nuclear power reactors as residual radioactivity at the site is reduced to levels that allow for termination of the NRC license and is considered a stand-alone document. GEIS at iii.

Vermont asserts that the NRC has failed to “take into account the negative economic impacts to the surrounding area resulting from Entergy’s decision to use the maximum SAFSTOR period[.]” Petition at 55-56. On the contrary, the GEIS, specifically addresses the socio-economic impacts of decommissioning and its analysis includes an analysis of SAFSTOR as compared to the other decommissioning options (DECON and ENTOMB). NUREG-5086, Supp. 1, Socioeconomics, § 4.3.12 (ADAMS Accession No. ML023470323).

²⁶⁷ 10 C.F.R. § 50.82(a)(9)(ii)(G).

report and do not require the NRC to issue an environmental evaluation of the site-specific environmental impacts discussed in the PSDAR.²⁶⁸

Applicants for license amendments that seek approval of decommissioning activities that do not fall under 10 C.F.R. § 50.59 or the approval of an LTP under 10 C.F.R. § 50.82 that would authorize unrestricted use of the site or continued restricted use of the site must submit a “Supplement to Applicant’s Environmental Report—Post Operating License Stage,” with updates to its operating license environmental report to reflect any new information or significant environmental change associated with decommissioning or irradiated fuel storage.²⁶⁹ Similarly, 10 C.F.R. § 51.95(d) requires the Staff to prepare a supplemental EIS only for licensing actions that authorize unrestricted release (or continued restricted use of the facility site) or actions that authorize irradiated fuel storage at a nuclear power reactor after expiration of the operating license.

2. Entergy’s DTF Withdrawals Do Not Constitute a Major Federal Action.

Vermont argues that the sum total of the NRC’s actions and inactions regarding the VY decommissioning trust fund constitute a “major federal action” requiring review under NEPA.²⁷⁰ Specifically, Vermont argues that these actions and inactions include the “NRC’s grant of Entergy’s exemption requests, and other similar approvals, standing alone and in

²⁶⁸ See 10 C.F.R. §§ 50.82(a)(4)(i) , 51.53(d), 51.95(d).

²⁶⁹ 10 C.F.R. § 51.53(d).

²⁷⁰ Petition at 9, 14.

combination;”²⁷¹ the Staff’s review of Entergy’s PSDAR;²⁷² and the “NRC’s responsibility to police Entergy’s 30-day notifications for anticipated withdrawals.”²⁷³

Contrary to Vermont’s assertions, the Staff’s treatment of the PSDAR and the Staff’s failure to object to Entergy’s withdrawal notifications do not rise to the level of a “major federal action.” The Council on Environmental Quality (CEQ) regulations implementing NEPA state that major federal action includes “actions with effects that may be major and which are potentially subject to Federal control and responsibility” and “the circumstance where the responsible officials fail to act and that failure to act is reviewable by courts or administrative tribunals under the Administrative Procedure Act or other applicable law as agency action.”²⁷⁴

The NRC’s supposed failure to act with respect to the PSDAR is not reviewable as an agency action under the AEA because, as explained above, the submission of a PSDAR does not trigger a hearing opportunity. Likewise, the sufficiency of Entergy’s 30-day notices do not trigger a hearing opportunity under the AEA § 189a, and concerns based on those notices can only be raised by means of a petition that requests NRC action pursuant to 10 C.F.R. § 2.206. Therefore, these actions do not qualify as major federal actions under 40 C.F.R. § 1508.18.²⁷⁵

²⁷¹ Petition at 52 (citing *Citizens Awareness Network, Inc. v. NRC*, 59 F.3d 284, 293 (1st Cir. 1995)). Vermont does not explain what it means by other similar approvals. It is unclear whether Vermont is referring to other exemptions that have been granted to Entergy on matters unrelated to the VY DTF or to something else.

²⁷² Petition at 52-53 (citing 59 F.3d at 293).

²⁷³ Petition at 52.

²⁷⁴ 40 C.F.R. § 1508.18. Section 1508.18(b) provides that major federal actions tend to fall into one of the four following categories: 1) adoption of official policy; 2) adoption of formal plans; 3) adoptions of programs; and 4) approval of specific projects.

²⁷⁵ Moreover, the VY PSDAR was submitted in accordance with and processed by the Staff in accordance with NRC regulations at 10 C.F.R. §§ 50.59 and 50.82. These regulations were amended in 1996 and that regulatory amendment was accompanied by a NEPA review that determined that the regulations, “if adopted, would not be a major Federal action significantly affecting the quality of the human environment and therefore, an environmental impact statement is not required.” 61 Fed. Reg. at 39,296. The NRC prepared an environmental assessment and made a finding of no significant environmental impact. *Id.*

Vermont does not explain how the effects of the NRC's purported actions or inactions regarding these items would be a "major" effect warranting a NEPA review²⁷⁶ and the cases it cites are readily distinguishable. In *Ramsey v. Kantor*, 96 F.3d 434, 445 (9th Cir. 1996), the Court of Appeals held that the Secretary of Commerce's failure to disapprove the plans governing fishing off the coast of Alaska enabled those plans to go into effect and constituted major federal action. However, *Ramsey* is distinguishable because in that case the agency's failure to disapprove plans prepared by the fish management council resulted in the plans attaining the force of law.²⁷⁷ Moreover, the court found that it was clear that the actions regarding the fish management plans "may have major effect."²⁷⁸ Here, the NRC's failure to disapprove the PSDAR does not result in the decommissioning plans attaining the force of law.²⁷⁹ As discussed above, the PSDAR does not permit the licensee to perform any task it could not already perform pursuant to 10 C.F.R. § 50.59, otherwise a license amendment associated NEPA review would be required.

Vermont also cites to *Citizens Awareness Network, Inc. v. NRC*, 59 F.3d 284 (1st Cir. 1995) as support for its argument that the agency's approvals constitute "major federal actions."²⁸⁰ However, Vermont's Petition fails to acknowledge that the Commission explicitly addressed this court decision in the 1996 decommissioning rule.²⁸¹ Indeed, in that rulemaking,

²⁷⁶ See 40 C.F.R. § 1508.18 (noting that "Major reinforces but does not have a meaning independent of significantly (§ 1508.27).") 40 C.F.R. § 1508.27 which defines "significantly" contains numerous criteria for determining whether an action is significant and notes that "[s]ignificantly as used in NEPA requires considerations of both context and intensity."

²⁷⁷ *Ramsey*, 96 F.3d at 445.

²⁷⁸ *Id.*

²⁷⁹ See *Anglers Conservation Network, v. Penny Pritzker*, 70 F.Supp.3d 427, 442 (DC Cir. 2014) (distinguishing *Ramsey* because the Secretary's inaction resulted in the plans attaining the force of law). In addition, the PSDAR was submitted pursuant to regulatory provisions and in the rulemaking for those provisions, NEPA was considered and applied. 61 Fed. Reg. 39,296.

²⁸⁰ Petition at 53.

²⁸¹ See 61 Fed. Reg. at 39,285-86 ("In publishing this final rule, the Commission has explained the rationale for the new decommissioning process, and has concluded that nothing in the court decision

the Commission specifically recognizes that the First Circuit “perceived that the agency ‘approval’ of the expenditure of funds from the decommissioning funds may be a basis for triggering both NEPA reviews and hearing rights,”²⁸² and explains that the revised rule addresses this issue.²⁸³

As explained above, the revised rule no longer requires licensees to have an approved decommissioning plan before being permitted to perform major decommissioning activities.²⁸⁴ This is in contrast to the regulation in place at the time the court rendered its decision.²⁸⁵ Thus, the NRC is not required to issue an evaluation approving site-specific environmental impacts discussed in the PSDAR.²⁸⁶ Moreover, the revised rule does not require the NRC’s affirmative approval of decommissioning until the licensee’s submission of a LTP at least two years before the termination of the license.²⁸⁷ In publishing the final rule, the Commission “concluded that nothing in the court decision dictates that the Commission take a specific approach to this issue or otherwise raises questions concerning the validity of the approach adopted in this rulemaking.”²⁸⁸ Vermont’s arguments are essentially a challenge to the Commission’s existing decommissioning regulations and should instead be raised through a petition for a rulemaking

dictates that the Commission take a specific approach to this issue or otherwise raises questions concerning the validity of the approach adopted in this rulemaking.”).

²⁸² 61 Fed. Reg. at 39,286 (citing 59 F.3d at 292-95).

²⁸³ *Id.* (noting that the revised regulations do not require prior NRC approval of site-specific expenditures meeting the generic criteria).

²⁸⁴ 61 Fed. Reg. at 39,279.

²⁸⁵ *Citizens Awareness*, 59 F.3d at 291 (noting that the regulation in place specifically required NRC approval of a decommissioning plan before a licensee undertook any major structural changes to a facility).

²⁸⁶ See 10 C.F.R. §§ 50.82(a)(4)(i) , 51.53(d), 51.95(d). Additionally, the NRC has evaluated the environmental impacts of power reactor decommissioning on a generic basis in the Decommissioning GEIS. Under the revised rule, the PSDAR must include a discussion of reasons supporting the conclusion “that site-specific decommissioning activities will be bounded by appropriate previously issued environmental impact statements.” 10 C.F.R. § 50.82(a)(9)(ii)(G).

²⁸⁷ 10 C.F.R. § 50.82(a)(9).

²⁸⁸ *Id.*

under 10 C.F.R. § 2.802. Accordingly, Vermont's arguments should be dismissed because it has not demonstrated that there is a major federal action here warranting the NRC to conduct a NEPA review.

Finally, to the extent Vermont asserts that the Exemption Request is a major federal action requiring a NEPA review, Vermont appears to suggest that a NEPA review has not been undertaken with respect to the Exemption Request.²⁸⁹ However, as explained in further detail below, the Staff conducted a NEPA review of the Exemption Request and applied a categorical exclusion. To the extent Vermont is arguing that a categorical exclusion is an insufficient environmental review under NEPA, Vermont's arguments amount an impermissible challenge the Commission's categorical exclusions rule.²⁹⁰

C. The Staff's Application of a Categorical Exclusion to Entergy's Exemption Request Was Not Arbitrary or Capricious Under NEPA.

The Staff correctly classified Entergy's exemption request as a categorical exclusion under 10 C.F.R. § 51.22(c)(25) and explained why the grant of the exemption will not have a significant effect on the environment. Because the application of the categorical exemption was proper, the Staff was not required to prepare an EA or an EIS. A cumulative impacts analysis is not required because such an analysis is only required in an EIS or EA. Accordingly, the Commission should reject Vermont's argument that the Staff application of the categorical

²⁸⁹ Petition for Review at 52.

²⁹⁰ See Categorical Exclusions From Environmental Review, 75 Fed. Reg. 20,248 (Apr. 19, 2010) (final rule).

exclusion was incorrect and that its environmental review is deficient for failure to analyze cumulative impacts.

1. The Categorical Exclusion Regulation and Process

Under NEPA, agencies are permitted to exclude certain categories of actions by rule from EIS and EA analyses where the agency has determined that such actions do not individually or cumulatively have a significant effect on the environment.²⁹¹ Consequently, “a categorical exclusion is by definition not a major federal action.”²⁹² Accordingly the Commission’s regulations provide that a “categorical exclusion” is applicable to:

actions which do not individually or cumulatively have a significant effect on the human environment and which the Commission has found to have no such effect in accordance with procedures set out in [10 C.F.R.] § 51.22, and for which, therefore neither an environmental assessment nor an environmental impact statement is required.²⁹³

The Commission has by rule identified a number of actions that the Commission may take that do not individually or cumulatively have a significant effect on the environment, which include, *inter alia*, the issuance of exemptions.²⁹⁴

The Commission’s categorical exclusions do “not indicate the absence of an environmental review, but rather, that the agency has established a sufficient administrative record to show that the subject actions do not, either individually or cumulatively, have a

²⁹¹ See 40 C.F.R. §§ 1507.3(b)(2) & 1508.4; *Brodsky v. NRC*, 704 F.3d 113, 120 (2d Cir. 2013); see also 10 C.F.R. § 51.10 (noting that it is the NRC’s policy to take into account CEQ regulations, subject to certain conditions).

²⁹² *Sierra Club v. Bosworth*, 510 F.3d 1016, 1025 (9th Cir. 2007).

²⁹³ 10 C.F.R. § 51.14.

²⁹⁴ See 10 C.F.R. § 51.22; Environmental Protection Regulations for Domestic Licensing and Related Regulatory Functions and Related Conforming Amendments, 49 Fed. Reg. 9,352 (Mar. 12, 1984); Categorical Exclusions From Environmental Review, 75 Fed. Reg. 20,248 (Apr. 19, 2010).

significant effect on the human environment.”²⁹⁵ In the Statement of Consideration (SOC) for the 2010 amendments to § 51.22, the Commission established “a sufficient administrative record, consisting of professional staff opinions and past NEPA records, which shows that these actions [enumerated in § 51.22], either individually or cumulatively, do not result in a significant effect on the human environment.”²⁹⁶ Furthermore, the Commission stated that the purpose of the categorical exclusion regulations is to “reduce inefficiencies and inconsistencies in the implementation of NRC’s regulatory program” and “eliminate the need to prepare unnecessary EAs for NRC regulatory actions that have no significant effect on the human environment.”²⁹⁷

In 2010, the Commission added subsection (25) to 10 C.F.R. § 51.22(c), thereby creating a specific categorical exclusion for the grant of exemptions from certain regulatory requirements.²⁹⁸ The Commission found that the “majority of the exemptions it grants are administrative or otherwise minor in nature,” and that the granting of exemptions for these types of requirements “normally do not result in any significant effect, either individually or cumulatively, on the human environment.”²⁹⁹ The categorical exclusion in § 51.22(c)(25) only applies to exemption requests that meet all of the criteria listed in 10 C.F.R. 51.22(c)(25)(i)-(vi). Thus, in order for the categorical exclusion to be applicable to a specific exemption request, the

²⁹⁵ *Id.* at 20,250 (citing CEQ, “The NEPA Task Force Report to the Council on Environmental Quality: Modernizing NEPA Implementation,” at 59 (2003) (Task Force Report)).

²⁹⁶ 75 Fed. Reg. at 20,251 (“The statements of consideration for this final rule summarize the NRC’s administrative record for each categorical exclusion”).

²⁹⁷ *Id.* The Commission amended its categorical exclusion regulations in 2010 partly in response to the CEQ Task Force Report. *Id.* at 20,249. The Commission conducted an in-depth review of the EA/FONSIs issued during the period 2003-2007. That review identified “several recurring categories of regulatory actions that are not addressed in 10 CFR 51.22, and have no significant effect on the human environment, either individually or cumulatively.” *Id.* Those categories of actions were considered in the amendments adopted in that final rule. *Id.*

²⁹⁸ 75 Fed. Reg. at 20,255.

²⁹⁹ *Id.*

Staff must first make the findings described in 10 C.F.R. 51.22(c)(25)(i)-(v) and then determine that the exempted requirement is of a type listed in 10 C.F.R. 51.22(c)(25)(vi).³⁰⁰

Once a categorical exclusion has been established, the Staff need not prepare an EA or an EIS, unless there are “special circumstances” that compel an EA or EIS.³⁰¹ The NRC retains discretion in determining whether special circumstances are present.³⁰² A determination that special circumstances are not present does not require the preparation of additional documentation beyond that normally prepared to indicate that the categorical exclusion is being invoked for the proposed action.³⁰³

2. The Staff’s Application of the Categorical Exclusion Was Proper.

Vermont argues that the Staff’s decision to apply a categorical exclusion to the granting of Entergy’s exemption request was incorrect and that the exemption will have a significant

³⁰⁰ *Id.* The safety findings Staff must make are that: (i) There is no significant hazards consideration; (ii) There is no significant change in the types or significant increase in the amounts of any effluents that may be released offsite; (iii) There is no significant increase in individual or cumulative public or occupational radiation exposure; (iv) There is no significant construction impact; and (v) There is no significant increase in the potential for or consequences from radiological accidents. 10 C.F.R. § 51.22(c)(25)(i)-(v).

The eight exemption types categorically excluded by § 51.22 are those for: (A) Recordkeeping requirements; (B) Reporting requirements; (C) Inspection or surveillance requirements; (D) Equipment servicing or maintenance scheduling requirements; (E) Education, training, experience, qualification, requalification or other employment suitability requirements; (F) Safeguard plans, and materials control and accounting inventory scheduling requirements; (G) Scheduling requirements; (H) Surety, insurance or indemnity requirements; or (I) Other requirements of an administrative, managerial, or organizational nature. *Id.* at (vi).

³⁰¹ 10 C.F.R. § 51.22(b). The Commission may find special circumstances upon its own initiative, or upon the request of an interested person. *Id.* In the regulation, the Commission stated that special circumstances include situations where the proposed action involves unresolved conflicts concerning alternative uses of available resources within the meaning of section 102(2)(E) of NEPA. *Id.* See also *Pa’ina Hawaii, LLC* (Materials License Application), CLI-10-18, 72 NRC 56, 76 (2010). Vermont has not, however, asserted or demonstrated that there are special circumstances associated with the exemption that would render the categorical exclusion inappropriate.

³⁰² 75 Fed. Reg. at 20,250. “Special circumstances” are synonymous with the “extraordinary circumstances” exception required for procedures under the CEQ’s regulations. See 40 C.F.R. § 1508.4 (“Any procedures under this section shall provide for extraordinary circumstances in which a normally excluded action may have a significant environmental effect”). 20,250.

³⁰³ *Id.*

environmental effect.³⁰⁴ Vermont further argues that the Staff did not adequately explain its decision to apply the categorical exclusion to the exemption and thus failed to meet its responsibilities under NEPA.³⁰⁵ Vermont's arguments are unavailing.

First, in the 2010 Rulemaking, the Commission reviewed the environmental effects of certain exemption requests and determined via "a sufficient administrative record, consisting of professional staff opinions and past NEPA records" that such administrative exemptions, as enumerated in § 51.22(c)(25), do not have a significant effect on the environment.³⁰⁶

Accordingly, the Staff appropriately reviewed the exemption to determine if it met the criteria for the categorical exclusion in § 51.22(c)(25), and found that each of these criteria were met. Once the Staff established that the categorical exclusion applied, the necessary environmental review was complete because the Commission already determined by rule that such exemptions do not have individual or cumulative effects on the environment, and therefore, do not warrant further review in an EA or EIS.³⁰⁷ Indeed, requiring an EIS or an EA for Entergy's exemption would be the type of "unnecessary EA [or EIS]" for an administrative exemption that the Commission sought to avoid in promulgating § 51.22(c)(25).³⁰⁸ As such, the Staff conducted the appropriate environmental review for the exemption and correctly determined that the categorical exclusion applied.

Second, the Staff did not merely recite the criteria of § 51.22(c)(25), as Vermont asserts, but rather, explained how each criteria was met in this instance because the exemption is from

³⁰⁴ Petition at 56 (citing *Alaska Center for the Environment v. U.S. Forest Service*, 189 F.3d 851, 859 (9th Cir. 1999) ("Categorical exclusions, by definition, are limited to situations where there is an insignificant or minor effect on the environment").

³⁰⁵ *Id.*

³⁰⁶ 75 Fed. Reg. at 20,251 and 20,255.

³⁰⁷ *Pa'ina*, CLI-10-18, 72 NRC at 76.

³⁰⁸ 75 Fed. Reg. at 20,251.

an administrative requirement that does not affect the environment.³⁰⁹ The Staff explained that allowing withdrawals from the DTF in accordance with the PSDAR, without thirty days prior notification, is a reporting and record keeping requirement unrelated to safety that does not require a significant hazard consideration.³¹⁰ Similarly, the Staff explained that, the exemption is unrelated to operating restrictions and does not reduce the margin of safety, since the reactor is defueled, and that the exemption does not include construction.³¹¹ Therefore, the Staff sufficiently explained why this administrative exemption fits squarely within the categorical exclusion, as envisioned by the Commission's 2010 Rulemaking.³¹²

The cases that Vermont cites are unavailing. *Alaska Center for the Environment* merely holds that a categorical exclusion cannot be used where the action at issue has a significant effect on the environment.³¹³ In such a situation, a categorical exclusion would be inappropriate. The Court of Appeals in Alaska wrote: "as long as there is a rational connection between the facts and the conclusions made," the agency has not acted arbitrarily or capriciously.³¹⁴ In *Jones*, the Court of Appeals rejected the National Marine Fisheries Service's conclusory determination of no significant impact.³¹⁵ As explained above, in this case, the Staff provided a rational connection between the facts of the exemption and its conclusion that exemption met the criteria of 10 C.F.R. § 51.22(c)(25). Its determination was not conclusory, but fully explained and justified.

³⁰⁹ 80 Fed. Reg. at 35,994.

³¹⁰ *Id.*

³¹¹ *Id.*

³¹² 75 Fed. Reg. at 20,255.

³¹³ *Alaska Center for the Environment v. U.S. Forest Service*, 189 F.3d at 857-59.

³¹⁴ *Id.* at 859.

³¹⁵ *Jones v. Gordon*, 792 F.2d 821, 828 (9th Cir. 1986).

3. A Cumulative Impacts Analysis Was Not Required.

Vermont argues in its petition that the Staff was required to conduct a cumulative impacts analysis for the Staff's application of the categorical exclusion to the exemption.³¹⁶ Vermont points to no regulation requiring the Staff to perform a cumulative impacts analysis for a categorical exclusion. The Commission only requires a cumulative impact analysis in an EIS.³¹⁷ As discussed *supra*, section V.C.2., the Staff performed an appropriate environmental review of the exemption in analyzing the application of the categorical exclusion and properly concluded that its review was complete after establishing that the categorical exclusion applied. Indeed, the very purpose of the categorical exclusion at § 51.22(c)(25) is to lessen agency inefficiencies by not conducting "unnecessary EAs [or EISs]" for administrative exemptions, such as this, which have already been determined to "not individually or cumulatively have a significant effect on the human environment."³¹⁸ Accordingly, because Staff completed the requisite review in establishing that the categorical exclusion applied, further review in an EA or EIS, and the accompanying cumulative impacts analysis, was unwarranted.

The cases Vermont cites to support its challenge, *Sierra Club v. Bosworth* and *Brady Campaign to prevent Gun Violence v. Salazar*,³¹⁹ are distinguishable from the instant case. Both of those cases concerned regulations and policies of a national scope.³²⁰ *Sierra Club* involved the establishment of a new nationally applicable categorical exclusion obviating certain

³¹⁶ Petition at 57.

³¹⁷ See 10 C.F.R. § 51.71(d).

³¹⁸ 75 Fed. Reg. at 20,251 & 20,255.

³¹⁹ Petition at 57-58 (citing *Brady Campaign to Prevent Gun Violence v. Salazar*, 612 F. Supp. 2d 1 (D.D.C. 2009) case dismissed, No. 09-5093, 2009 WL 2915013 (D.C. Cir. Sept. 8, 2009); *Sierra Club v. Bosworth*, 510 F.3d 1016 (9th Cir. 2007). Vermont also cites *Northern States Power Co. (Prairie Island Nuclear Generating Plant Indep. Spent Fuel Storage Installation)*, LBP-12-24, 76 NRC 503 (Dec. 20, 2012), but that decision did not involve the application of a categorical exclusion; it addressed the need for a cumulative impacts analysis in an applicant's environmental review.

³²⁰ *Brady*, 612 F. Supp. 2d at 9 (D.D.C. 2009); *Sierra Club*, 510 F.3d at 1,019 (9th Cir. 2007).

firefighting practices in national forests from the need for an EA or EIS,³²¹ and *Brady* involved the use of a categorical exclusion to forego an EA or EIS for a new regulation allowing the carrying of loaded firearms in national parks.³²² In *Brady*, the court found the agency's use of a categorical exclusion to be arbitrary and capricious because it ignored numerous findings of environmental effects in the record, including the agency's own prior view that there were significant effects from the same activity.³²³ And, in *Sierra Club*, the agency promulgated a categorical exclusion without explaining why the actions that fall within the categorical exclusion would not cumulatively, on a regional to national scale, have significant environmental effects.³²⁴

Neither of these cases is similar to the situation here. The VY DTF exemption does not have nationwide applicability; it is a specific administrative exemption for one aspect of a single plant's decommissioning. Moreover, the Staff did explain why the exemption met the criteria for categorical exclusion. Plus, the Commission has provided a detailed administrative record as to why administrative exemptions categorically excluded in § 51.22(c)(25) do not have a significant effect on the environment.³²⁵ Accordingly, the cases Vermont cites are inapplicable and Vermont's assertion that the environmental review for the DTF exemption is deficient should be rejected.

³²¹ *Sierra Club*, 510 F.3d at 1,019-20.

³²² *Brady*, 612 F. Supp. 2d at 6.

³²³ *Brady*, 612 F. Supp. 2d at 9-10 (D.D.C. 2009) (enjoining agency's decision to categorically exclude a rule permitting concealed weapons in national parks from NEPA requirements because agency's rationale that the rule did not authorize the discharge of such weapons, and therefore would not cause any actual environmental impacts, was insufficient to examine possible environmental effects).

³²⁴ *Sierra Club*, 510 F.3d at 1,025-1,032(9th Cir. 2007) ("The Forest Service concedes that no cumulative impacts analysis was performed for the Fuels [categorical exclusion] as a whole. The Forest Service must perform this impacts analysis *prior to promulgation of the [categorical exclusion]*") (emphasis added).

³²⁵ 75 Fed. Reg. at 20,251-55.

CONCLUSION

For the reasons stated above, the Commission should deny Vermont's Petition for Review. While Vermont is not entitled to an adjudicatory hearing, there are other options available to it: it may petition for agency action pursuant to 10 C.F.R. § 2.206 and it may petition for rulemaking pursuant to 10 C.F.R. § 2.802.

Respectfully submitted,

/Signed (electronically) by/

Beth Mizuno
Counsel for the NRC Staff
U.S. Nuclear Regulatory Commission
Office of the General Counsel
Mail Stop O15-D21
Washington, DC 20555
Telephone: (301) 415-3122
E-mail: Beth.Mizuno@nrc.gov

Executed in Accord with 10 CFR 2.304(d)

Anita Ghosh
Counsel for NRC Staff
United Nuclear Regulatory Commission
Mail Stop O15-D21
Washington, DC 20555
Telephone: (301) 415-4113
E-mail: Anita.Ghosh@nrc.gov

Executed in Accord with 10 CFR 2.304(d)

Jeremy L. Wachutka
Counsel for the NRC Staff
U.S. Nuclear Regulatory Commission
Mail Stop O15-D21
Washington, DC 20555
Telephone: (301) 415-1571
E-mail: Jeremy.Wachutka@nrc.gov

Executed in Accord with 10 CFR 2.304(d)

Matthew Ring
Counsel for the NRC Staff
U.S. Nuclear Regulatory Commission
Mail Stop O15-D21
Washington, DC 20555
Telephone: (301) 415-3974
E-mail: Matthew.Ring@nrc.gov

Dated at Rockville, Maryland
this 7th day of December, 2015

UNITED STATES OF AMERICA
NUCLEAR REGULATORY COMMISSION

BEFORE THE COMMISSION

In the Matter of)
)
ENTERGY NUCLEAR VERMONT YANKEE, LLC)
AND ENTERGY NUCLEAR OPERATIONS, INC.) Docket No. 50-271-LA
)
(Vermont Yankee Nuclear Power Station))

CERTIFICATE OF SERVICE

Pursuant to 10 C.F.R. § 2.305, I hereby certify that copies of the foregoing "NRC STAFF ANSWER TO THE VERMONT PETITION FOR REVIEW OF ENTERGY NUCLEAR OPERATION INC.'S PLANNED USE OF THE VERMONT YANKEE NUCLEAR DECOMMISSIONING TRUST FUND," dated December 7, 2015, have been filed through the Electronic Information Exchange, the NRC's E-Filing System, in the above-captioned proceeding, this 7th day of December, 2015.

/Signed (electronically) by/

Beth Mizuno
Counsel for the NRC Staff
U.S. Nuclear Regulatory Commission
Office of the General Counsel
Mail Stop O15-D21
Washington, DC 20555
Telephone: (301) 415-3122
E-mail: Beth.Mizuno@nrc.gov

Dated at Rockville, Maryland
this 7th day of December, 2015.